



Village Board Meeting
Monday, September 21, 2020
6:30 pm

AGENDA

1. Call to Order, Roll Call
2. Pledge of Allegiance
3. Action on Minutes from the August 17th & September 14th, 2020 Village Board meeting.
4. Public Comments (*comments limited to 3 minutes per person*).
5. New Business:
 - a. Discussion and Possible Action on a trail through the village for The United Snowbirds.
 - b. Discussion and Possible Action on approving Little Libraries to be placed around the Village of Random Lake.
 - c. Presentation by Karen Mole for a Snack Shack at Lakeview Park.
 - d. Discussion and Possible Action on the Snack Shack at Lakeview Park.
 - e. Discussion and Possible Action on Recommendation from Architectural/Planning Commission on a new house for Steinke Services at 145 E Shore Drive.
 - f. Discussion and Possible Action on approving Trick or Treating for October 31st, from 3-5 p.m.
 - g. Discussion and Possible Action on the Library Exemption from the Sheboygan County levy.
 - h. Discussion and Possible Action on Passing an Ordinance to adopt Wisconsin State SPS 316 for Commercial Electrical Inspections.
 - i. Discussion and Possible Action on Passing an Ordinance amending Section 20 of the Municipal Code of the Village of Random Lake Establishing a Village Police Department.
 - j. Discussion, Review and Possible Action on staying with Humana Health Insurance for Village Employees.
 - k. Discussion and Possible action on Operating Budget of Lakeview Community Library.
 - l. Discussion and Possible Action Regarding Payment Request #2 from PTS Contractors, Inc. in the Amount of \$341,870.32 for Grand Avenue/Spring Street Road Project.
6. Old Business:
 - a. Update on the WWTP by Kapur and Krier
7. Consent Agenda:
 - a. Approval of bills: General Fund: \$360,172.98; Water: \$5,717.63; Sewer: \$7,540.47; Payroll: \$31,045.65.
 - b. Approval of three new Operator Licenses: Mike TeBeest, Julia Phillips, and Lynn Shumaker.
 - c. Review: Sheboygan County Sheriff's Department reports for July and August 2020.

Items on the Agenda may be taken out of order as listed.

WI Open Meeting Law (Wis. Stat. 19.83(2) and 19.84(2)) In general, the open meetings law grants citizens the right to attend and observe open session meetings of governmental bodies, but does not require a governmental body to allow members of the public to speak or actively participate in the body's meeting. A governmental body is free to determine for itself whether and to what extent it will allow citizen participation at its meetings. The Board may not take formal action on a subject raised in the public comment period, unless that subject is also identified in the meeting notice.



Village Board Meeting
Monday, September 21, 2020
6:30 pm

8. Staff and committee reports:

- a. Clerk/Treasurer: Routes to Recovery submission, election preparation
- b. Director of Public Works: Road construction update
- c. Committees
- d. President

9. Adjourn

WI Open Meeting Law (Wis. Stat. 19.83(2) and 19.84(2)) In general, the open meetings law grants citizens the right to attend and observe open session meetings of governmental bodies, but does not require a governmental body to allow members of the public to speak or actively participate in the body's meeting. A governmental body is free to determine for itself whether and to what extent it will allow citizen participation at its meetings. The Board may not take formal action on a subject raised in the public comment period, unless that subject is also identified in the meeting notice.

96 Russell Drive, P.O. Box 344, Random Lake, WI 53075
Telephone: (920) 994-4852 Facsimile: (920) 994-2390 Website: randomlakewi.com



1. Call to Order, Roll Call: Village President Robert McDermott called the meeting to order at 6:30 pm. Trustees present included Mark Bichler, Elizabeth Manian, Barbara Ruege, Mike San Felippo, and Eric Stowell. Blaine Werner joined the meeting at 6:31 pm.
2. Pledge of Allegiance: Those present stood to recite the Pledge of Allegiance.
3. Action on Minutes from the August 3, 2020 Village Board Meeting: Trustee Stowell made a motion to approve the August 3rd meeting minutes as presented. Trustee San Felippo seconded the motion. Motion carried, 7-0.
4. Public Comments: Staci Schluechtermann presented the Board with some financial graphs she prepared regarding the status of the village's budget through July 31st. Schluechtermann asked the Board for responsible budgeting. *President McDermott went to Old Business item A*
5. New Business:
 - a. Discussion and Possible Action on Closing Carroll Street from 1st Street to 5th Street for Fall Fest Activities on September 26, 2020: Random Lake Chamber of Commerce Administrator Ted Neitzke explained that the Fall Fest for 2020 will take place on September 26th and would like to close Carroll Street down to traffic from 1st street to 5th street. Neitzke also stated that September 15th is the drop-dead date to cancel or continue with the event. Neitzke also stated that through the Wisconsin Economic Development grant "All In" 17 letters were sent for area businesses which included one non-member, he was happy to announce that 16 businesses were awarded grant money which equaled to an amount over \$40,000. Neitzke also stated that the Chamber awarded \$3,000 in chamber bucks to "Heroes at Work". Trustee Ruege made a motion to approve the closing of Carroll Street from 1st Street to 5th Street on September 26th for Fall Fest. Trustee Werner seconded the motion. Motion carried, 7-0.
 - b. Discussion and Possible Action on Presentation by John Rassel and Ted Neitzke Regarding the Branding Procedure for Random Lake: Ted Neitzke stated that to gather information for the project some secret shopping was done, and had conversations with new residents. John Rassel stated that assessment is complete and now that challenge is moving forward and trying to figure what the role of local government is with the process. The assessment showed that we need to work hard to get people to come to Random Lake, the lake itself is a huge asset. The group is asking that the village take a look at their role in this process and the next step is to create the vision.
 - c. Discussion and Possible Action Approving the Schedule of Agent Change for Casey's General Store Combination Retail License; Anthony Hawks: Clerk/Treasurer Lesser explained that the criminal background check was completed and is satisfactory. Trustee Bichler made a motion to approve Anthony Hawks as the new agent for Casey's General Store. Trustee Stowell seconded the motion. Motion carried, 7-0.
 - d. Discussion and Possible Action on Resolution 2020-10 NR208-Compliance Maintenance Resolution 2019: Trustee San Felippo made a motion to approve Resolution 2020-10 NR208-Compliance Maintenance for 2019. Trustee Manian seconded the motion. Motion carried, 7-0.
 - e. Discussion and Possible Action on Selling Old Piers from Lakeview Park: President McDermott stated that the village will be selling the old piers now that the new ones will be installed within the next two weeks. McDermott stated that either he or Joe Huiras will be the contact person for selling the piers. The asking price is approximately \$300 to \$400 per pier. There are 11 sections to sell. Trustee Stowell made a

motion to sell the piers from Lakeview Park for \$300 to \$400 each. Trustee Manian seconded the motion. Motion carried, 7-0.

6. Old Business:

- a. Update by John Rassel Regarding TID #4: John Rassel explained that it's still full speed ahead at Krier Foods; the expansion is still at the top of the list for 2021. The office building/park is on the agenda for 2022. The plan is to fly a drone over the bay to identify species in the bay and this film will be turned over to the WDNR. Rassel stated that the boring results of the park land solidified their theories.

President McDermott went to New Business item A.

- b. Discussion and Possible Action on Random Lake School District Hiring a Community Resource Officer: President McDermott stated that the fines issued by the resource officer will come back to the village as revenue. McDermott also stated that there is an anonymous donor for the used police vehicle and equipment. Also looking at the possibility of purchasing a used boat for lake patrol. McDermott stated that what he's looking for today is approval from the Village Board is to be involved with the School District in the hiring process of the officer. Trustee Manian made a motion to approve President McDermott to be involved with the interview process of the Community Resource Officer with the Random lake School District. Trustee Stowell seconded the motion. Motion carried, 7-0.

7. Consent Agenda:

- a. Approval of bills: General Fund: \$56,377.67; Water: \$160.99; Sewer: \$295.94; Payroll: \$13,377.08.
- b. Budget Analysis Report Ending July 31, 2020.
- c. Bank Account Balances as of July 1, 2020.

Trustee San Felippo made a motion to approve the consent agenda. Trustee Manian seconded the motion. Motion carried, 7-0.

8. Staff and committee reports:

- a. Clerk/Treasurer: Lesser reported that there was a 26% voter turnout for the August 11th primary, of that 10% voted by absentee ballot and 16% voted in-person at the fire station. Lesser stated that she started work on the 2021 budget and gave worksheets to Joe Huiras to work on, hoping to have them back by September 1st. Giving committees the month of September to work on them before allowing finance to finalize it before presenting to the Village Board for final review and approval.
- b. Director of Public Works: Joe Huiras stated that the water tower berm is completed with topsoil and seeded on Maple down to 4th street and Carroll Street. The village is 75% swept, the list station is cleared out, the flushable rags clog it up. Line painting will be done next week, and crack filling is all done for this year.
- c. Committees: Nothing
- d. President: Bob McDermott stated that he is working on a golf cart ordinance for the village, asking for the board to review it and will have it placed on the September 17th meeting agenda for possible action.

9. Adjourn: Meeting adjourned at 7:25 pm.

Respectfully submitted,

Jo Ann Lesser, CMC, WCMC
Village Clerk/Treasurer



Special Village Board Meeting
Monday, September 14, 2020
6:30 pm

MINUTES

1. Call to Order, Roll Call: Village President Robert McDermott called the meeting to order at 6:30p.m. Trustees present included Mark Bichler, Barbara Ruege, Elizabeth Manian, Blaine Werner, and Mike San Felippo. Also present was Director of Public Works Joe Huiras. Absent: Eric Stowell
2. Pledge of Allegiance: Those present stood to recite the Pledge of Allegiance
3. Public Comments (*comments limited to 3 minutes per person*): None
4. New Business:
 - a. Discussion and Possible Action on Recommendation from Architectural Review Board/Planning Commission; an Addition for Casey's General Store, 580 Orth Dr.: President McDermott explained that Casey's General Store agreed to pay for the special meeting so that the taxpayers incurred no cost for the meeting. The board discussed the changes to the addition for Casey's General Store. Trustee Bichler motioned to approve the recommendation of the Architectural Review Board/Planning Commission to approve the addition on Casey's General Store. Trustee Werner seconded the motion. The motion passed 6-0.
 - b. Discussion and Possible Action on Tower Space Lease Agreement with Bertram Communications LLC.: The board discussed the lease agreement for Bertram Communications. Trustee Ruege motioned to accept the approval from Bertram Communications with the exception of section 3 for changes in verbiage and with the Director of Public Works approval of placement of the equipment. Trustee Manian seconded the motion. The motion passed 6-0.
5. Staff and committee reports:
 - a. Committees: The committees discussed preliminary budget planning.
 - b. President: President McDermott stated the Scholler property is moving ahead. He explained that the WWTP project is on hold for a year. The Random Lake School District and the Village hired a CRO Officer. The employee health insurance is going up 12.5%.
6. Adjourn: Meeting adjourned at 7:16 p.m.

Respectfully Submitted,

Lisa Gillette
Deputy Clerk

Items on the Agenda may be taken out of order as listed.

WI Open Meeting Law (Wis. Stat. 19.83(2) and 19.84(2)) In general, the open meetings law grants citizens the right to attend and observe open session meetings of governmental bodies, but does not require a governmental body to allow members of the public to speak or actively participate in the body's meeting. A governmental body is free to determine for itself whether and to what extent it will allow citizen participation at its meetings. The Board may not take formal action on a subject raised in the public comment period, unless that subject is also identified in the meeting notice.

96 Russell Drive, P.O. Box 344, Random Lake, WI 53075
Telephone: (920) 994-4852 Facsimile: (920) 994-2390 Website: randomlakewi.com



SHEBOYGAN COUNTY

Wendy A. Charnon
Finance Director

Jeremy Fetterer
Deputy Finance Director

August 24, 2020



To the Clerks of the Municipal Bodies Requesting Exemption from the County Library Tax Levy:

Village of Random Lake

In the past, the County has notified you that the filing for the Library Fund Tax Exemption is based on a calculation that would substantiate "that the Municipality or School District must have expended for its own 'Library Fund' during the year in which the County Tax Levy is made, a sum at least equal an amount determined by multiplying the County Property Tax Rate for library services in the prior year by the equalized valuation of property in city, village or town in the current year" (Stats.43.64).

For the budgetary period approaching, January 1, 2021 through December 31, 2021, I have enclosed a work paper which will show how the calculation is to be made to arrive at the threshold to qualify for the Library Fund Tax Exemption. This represents the minimum amount that you are to provide for in your budgeting process so that you can qualify for the exemption.

The enclosed calculation was performed in the following manner:

1. The 2019 equalized valuation of property taxed for 2019 County Library service is \$4,200,331,800. This is the 2019 total County equalized valuation of municipalities exempting from the County Library Tax for 2020, second column.
2. The County adjusted appropriation amount for 2019 is \$1,421,457 as shown in item 2a of the attachment for Exemption from the County Library Tax in 2020 (This is the amount appropriated by the County Board in the fall of 2019 for 2020)
3. Divide the adjusted appropriation amount of \$1,421,457 from Step 2a by the equalized value of \$4,200,331,800 as determined in Step 1. The 2019 adjusted County Library Tax Levy Rate is \$0.338 per \$1,000 valuation.
4. Since your municipality participates in a joint library system an alternate method, detailed in 4a was used to calculate the exemption threshold. Your municipality's exemption threshold for 2021 is \$45,342.
5. The municipal appropriation cannot include any state, federal or county payments for library services. The amount the municipality is to appropriate for 2021 must be greater than the exemption threshold shown in Step 4 in order to qualify for the Library Fund Tax Exemption. If the municipal appropriation is equal to or greater than the minimum amount required for exemption, the municipality may request to be exempted from the county tax.

I am requesting that you submit a written request for exemption from the Library Fund Tax Levy. The request must include an indication of the amount your municipality will be appropriating for library services during the period January 1 through December 31, 2021. Mail the request to:

Wendy A. Charnon
Sheboygan County Finance Director
508 New York Avenue
Sheboygan, WI 53081

The deadline for submission of your request is September 22, 2020.

Regards,



Wendy A. Charnon
Finance Director

WAC/am

Enclosure

SHEBOYGAN COUNTY 2021

EXEMPTION FROM COUNTY LIBRARY TAX CRITERIA TEST (WI STAT 43.64) FOR 2021

Date entered: August 17, 2020

1. Determine the equalized value of the property taxed for 2020 county library service. This will be the 2019 total county equalized valuation less the equalized valuation of any communities exempting from the county library tax for 2020

<u>Municipality</u>	2019 Equalized \ 2020 County Library	
	<u>Value w/o TIDS</u>	<u>Tax District</u>
Greenbush (T)	\$156,305,700	\$164,238,600
Herman (T)	\$152,208,300	\$156,687,200
Holland (T)	\$344,986,600	\$360,575,100
Lima (T)	\$249,653,300	\$259,086,300
Lyndon (T)	\$173,487,700	\$190,069,800
Mitchell (T)	\$123,485,400	\$130,708,600
Mosel (T)	\$139,650,800	\$144,816,100
Plymouth (T)	\$368,099,100	\$386,141,900
Rhine (T)	\$381,497,300	\$403,353,400
Russell (T)	\$38,979,400	\$39,554,300
Scott (T)	\$162,820,000	\$0 exempt
Sheboygan (T)	\$833,672,200	\$860,652,700
Sheboygan Falls (T)	\$234,731,700	\$248,660,900
Sherman (T)	\$149,317,000	\$0 exempt
Wilson (T)	\$450,229,700	\$472,897,500
Subtotal	\$3,959,124,200	\$3,817,442,400
Adell (V)	\$37,523,000	\$0 exempt
Cascade (V)	\$42,799,900	\$42,793,000
Cedar Grove (V)	\$153,580,900	\$0 exempt
Elkhart Lake (V)	\$310,442,400	\$0 exempt
Glenbeulah (V)	\$33,229,000	\$33,588,000
Howards Grove (V)	\$263,219,000	\$271,083,300
Kohler (V)	\$468,125,800	\$0 exempt
Oostburg (V)	\$195,102,300	\$0 exempt
Random Lake (V)	\$152,724,100	\$0 exempt
Waldo (V)	\$35,517,900	\$35,425,100
Subtotal	\$1,692,264,300	\$382,889,400
Plymouth (C)	\$667,593,300	\$0 exempt
Sheboygan (C)	\$2,724,220,600	\$0 exempt
Sheboygan Falls (C)	\$641,226,200	\$0 exempt
Subtotal	\$4,033,040,100	\$0
Total	\$9,684,428,600	\$4,200,331,800
Equalized value subject to county library tax in 2019 =		\$4,200,331,800

2. Determine the total county library services appropriation for 2019. This is made in the fall of 2019 for all 2020 county library service.

Sheboygan County Appropriation for 2020 = \$1,438,457

2a. Subtract county library service capital expenditures from appropriation.

Capital expenditures -\$17,000 Adjusted 2019 County Appropriation for 2020 = \$1,421,457

3. Divide the appropriation amount from Step 2 by the equalized value determined in Step 1. This is the county library tax levy rate for 2019.

2020 adj. County Libr. Tax Rate = \$0.338

4. Multiply the county tax levy rate from Step 3 by the 2020 equalized value of the municipalities considered for exemption. The result is the minimum amount the municipality must appropriate for 2020 to exempt itself from the county library tax levy.

<u>Exempt Municipalities</u>	<u>2020 Equalized Value w/o TIDS</u>	<u>2020 County Library Tax Levy Rate</u>	<u>Appropriation needed in 2021 for exemption</u>
Cedar Grove (V)	\$159,637,700	\$0.34	\$54,024
Elkhart Lake (V)	\$329,301,700	\$0.34	\$111,441
Kohler (V)	\$483,363,600	\$0.34	\$163,578
Oostburg (V)	\$215,002,100	\$0.34	\$72,760
Plymouth (C)	\$700,971,700	\$0.34	\$237,220
Sheboygan (C)	\$3,074,483,600	\$0.34	\$1,040,453
Sheboygan Falls (C)	\$656,316,900	\$0.34	\$222,108
Random Lake (V)	\$161,147,000	\$0.34	\$54,535
Adell (V)	\$39,391,100	\$0.34	\$13,331
Scott (T)	\$171,537,200	\$0.34	\$58,051
Sherman (T)	\$159,713,900	\$0.34	\$54,050

4a. For municipalities in joint libraries, calculate the average of the appropriation for the library fund of the three previous years. The result is the amount the municipality must appropriate for 2020 to be exempt from the county library tax levy. This method is an alternate for municipalities in joint libraries.

<u>Joint Library Municipalities</u>	<u>2018</u>	<u>2019</u>	<u>2020</u>	<u>Appropriation needed in 2021 by Joint Libraries for Exemption</u>
Random Lake (V)	\$45,331	\$45,352	\$45,343	\$45,342
Adell (V)	\$11,365	\$11,381	\$11,376	\$11,374
Scott (T)	\$49,115	\$49,113	\$49,111	\$49,113
Sherman (T)	\$41,572	\$41,574	\$41,572	\$41,573

**ORDINANCE ADOPTION OF SPS 316 STATE OF WISCONSIN ELECTRICAL
CODE**

The Village Board of Random Lake does ordain as follows:

SECTION 6.75 ADOPTION

State of Wisconsin Administrative Code SPS-316 Electrical Code in its entirety and all amendments and/or revisions thereto, is adopted by the Village of Random Lake for municipal enforcement by the building inspector for the Village of Random Lake, Sheboygan County, Wisconsin.

If any section, clause, or portion of this ordinance is adjudged unconstitutional or invalid by a court of competent jurisdiction, the remainder of this ordinance shall not be affected thereby.

EFFECTIVE DATE

This ordinance shall be effective upon passage and/or publication or posting as provided by law.

Adopted by the Village Board of Random Lake, Wisconsin, on the 21st day of September, 2020.

Robert McDermott, Village President

ATTEST: _____

Jo Ann Lesser, Clerk/Treasurer

Chapter SPS 316

ELECTRICAL

Subchapter I — Purpose, Scope, and Application

SPS 316.001	Purpose.
SPS 316.002	Scope.
SPS 316.003	Application.
SPS 316.004	Department authority.
SPS 316.005	Petition for variance.
SPS 316.006	Definitions.
SPS 316.007	Adoption of standards by reference.

Subchapter II — Administration and Enforcement

SPS 316.011	Administration.
SPS 316.012	Permits.
SPS 316.013	Inspections.
SPS 316.014	Penalties.
SPS 316.015	Appeals.
SPS 316.016	Electrical plan review.
SPS 316.017	Technical assistance.

Subchapter III — General Requirements

SPS 316.020	Construction and operation.
SPS 316.021	Maintenance.
SPS 316.022	Use of approved materials and construction methods.
SPS 316.023	Electric fences.

Subchapter IV — Changes, Additions or Omissions to the *NEC*[®]

SPS 316.080	Changes, additions or omissions to NECr.
SPS 316.090	Introduction.
SPS 316.100	Definitions.

SPS 316.110	Examination, identification, installation, use, and listing of equipment.
SPS 316.210	Branch circuits.
SPS 316.220	Branch-circuit, feeder and service calculations.
SPS 316.225	Outside branch circuits and feeders.
SPS 316.230	Services.
SPS 316.240	Overcurrent protection.
SPS 316.250	Grounding and bonding.
SPS 316.300	Wiring methods.
SPS 316.310	Conductors for general wiring.
SPS 316.312	Cabinets, cutout boxes and meter socket enclosures.
SPS 316.314	Outlet, device, pull and junction boxes; conduit bodies; fittings; and handhole enclosures.
SPS 316.334	Nonmetallic-sheathed cable: Types NM, NMC and NMS.
SPS 316.358	Uses permitted.
SPS 316.400	Flexible cords and cables.
SPS 316.404	Switches controlling lighting loads.
SPS 316.406	Receptacles, cord connectors and attachment plugs (caps).
SPS 316.450	Transformers and transformer vaults (including secondary ties).
SPS 316.511	Commercial garages, repair and storage.
SPS 316.547	Agricultural buildings.
SPS 316.551	Recreational vehicles and recreational vehicle parks.
SPS 316.620	Elevators, dumbwaiters, escalators, moving walks, platform lifts and stairway chairlifts.
SPS 316.675	Electrically driven or controlled irrigation machines.
SPS 316.680	Swimming pools, fountains and similar installations.
SPS 316.700	Emergency systems.
SPS 316.701	Legally required standby systems.

Note: Chapter ILHR 16 as it existed on October 31, 1984 was repealed and a new chapter ILHR 16 was created effective November 1, 1984; Chapter ILHR 16 as it existed on February 29, 1988 was repealed and a new chapter ILHR 16 was created effective March 1, 1988; Chapter ILHR 16 as it existed on October 31, 1990, was repealed and a new chapter ILHR 16 was created effective November 1, 1990. Chapter ILHR 16 was renumbered chapter Comm 16 under s. 13.93 (2m) (b) 1., Stats., and corrections made under s. 13.93 (2m) (b) 7., Stats., Register, August, 1996, No. 488. Chapter Comm 16 was renumbered chapter SPS 316 under s. 13.92 (4) (b) 1., Stats., Register December 2011 No. 672.

Note: Chapter Comm 17 was repealed effective October 1, 1999. Sections Comm 16.60 to 16.67 were created to replace ch. Comm 17.

Note: Subchapter III of Ch. Comm 16 (sections Comm 16.15 through 16.52) as it existed on February 28, 2009 was repealed and a new subchapter III was created effective March 1, 2009.

Subchapter I — Purpose, Scope, and Application

SPS 316.001 Purpose. (1) PRACTICAL SAFEGUARDING. Pursuant to ss. 101.02 (1), 101.63 (1), 101.73 (1), and 101.82 (1), Stats., the purpose of this chapter is the practical safeguarding of persons and property from hazards arising from the installation and use of electricity.

Note: Hazards often occur because of overloading of wiring systems by methods or usage not in conformity with this chapter. This occurs because initial wiring did not provide for increases in the use of electricity. An adequate initial installation and reasonable provisions for system changes will provide for future increases in the use of electricity.

(2) CODE INTENTION. This chapter is not intended as a design specification or as an instruction manual for untrained persons.

Note: The Wisconsin state electrical code is issued and administered by the department and by the public service commission in 2 chapters of the Wisconsin administrative code. The department has the responsibility for issuance and administration of this chapter, and the public service commission has the responsibility for issuance and administration of ch. PSC 114.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 08-047; renum. from Comm 16.01 and am. (2) Register February 2009 No. 638, eff. 3-1-09; correction in (1) made under s. 13.92 (4) (b) 7., Stats., Register February 2009 No. 638.

SPS 316.002 Scope. (1) GENERAL. Except as provided in sub. (2), this chapter applies to electrical wiring installations.

(2) EXCLUSIONS. This chapter does not cover any of the following electrical wiring installations:

(a) Installations in ships, watercraft other than floating buildings, railway rolling stock, aircraft, or automotive vehicles other than mobile homes and recreational vehicles.

(b) Installations for generation, transformation, or distribution of power used exclusively by railways for signaling and communication purposes.

(c) Installations of communication equipment under exclusive control of communication utilities, located outdoors or in building spaces used exclusively for such installations.

(d) Installations in manufactured homes, other than electrical wiring alterations in existing manufactured homes.

(e) Installations under the exclusive control of an electric utility, or an electric cooperative where such installations meet any of the following situations:

1. Consist of service drops or service laterals, and associated metering.

2. Are located in legally established easements or right-of-ways designated by public service commissions, utility commissions, or other regulatory agencies having jurisdiction for such installations.

3. Are on property owned or leased by the electric utility for the purpose of communications, metering, generation, control, transformation, transmission, storage, or distribution of electric energy.

(f) Installations for the purpose of street or area lighting owned and under exclusive control of electrical utilities or municipalities where located outdoors on property owned or leased by the utility; on or along public highways, streets, roads, or similar public thoroughfares; or outdoors on private property by established rights such as easements shall comply with this chapter or ch. PSC 114.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; am. (1) (b) and (c), Register, March, 1994, No. 459, eff. 4-1-94; cr. (1) (e), r. and recr. (2) (d), (e), Register, August, 1996, No. 488, eff. 9-1-96; cr. (1) (f), Register, September, 1999, No. 525, eff. 10-1-99; CR 02-072; am. (2) (e) Register April 2003 No. 568, eff. 5-1-03; CR 08-047; renum. from Comm 16.02 Register February 2009 No. 638, eff. 3-1-09; CR 16-093; r. and recr. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.003 Application. (1) **TYPES OF INSTALLATIONS.** The provisions of this chapter apply to all new installations, reconstructions, alterations and extensions.

(2) **TESTING.** Rooms which are used exclusively for routine or special electrical test work and are under the supervision of a qualified person, shall comply with this chapter where practicable for the character of the testing done.

(3) **EXISTING INSTALLATIONS.** Existing electrical installations shall conform to the electrical code that applied when the installations were installed. An existing electrical installation may be required to be brought into compliance with the current code's requirements by the department and within the time period determined by the department when a hazard to life, health or property exists or is created by the installation.

(4) **REPAIRS.** Repairs to electrical installations shall conform to the electrical code that applied when the installations were installed. A repair may be required to be brought into compliance with the current code's requirements by the department and within the time period determined by the department when a hazard to life, health or property exists or is created by the repair.

(5) **DIFFERING RULES.** (a) Where any department rule in this chapter differs from a requirement within a standard referenced in this chapter, the department rule shall govern.

(b) Where a provision of this chapter prescribes a general requirement and another provision of this chapter prescribes a specific or more detailed requirement regarding the same subject, the specific or more detailed requirement shall govern, except as provided in par. (a).

(c) Where different sections of this chapter specify conflicting requirements, the most restrictive requirement, as determined by the department, shall govern, except as provided in pars. (a) and (b).

(6) **ADDITIONS AND ALTERATIONS.** Additions and alterations to electrical systems covered by this chapter shall comply with all provisions of this chapter at the time of permit application or, if no permit is required, the beginning of the project.

Note: This chapter does not nullify any exclusions specified in the standards adopted under s. SPS 316.007.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 02-072: r. and recr. (3), cr. (4) Register April 2003 No. 568, eff. 5-1-03; CR 08-047: renum. from Comm 16.03 Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title), cr. (5) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: cr. (6) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.004 Department authority. Under s. 101.02 (1), Stats., the department reserves the right to interpret the requirements in this chapter and in all adopted codes and standards. Any interpretation under this section shall supersede any differing interpretation by either a lower level jurisdiction or an issuer of the adopted code or standard.

Note: Section 101.86, Stats., prohibits municipalities from enacting rules that are more restrictive than this chapter. Section 101.86 (1) (a), Stats., provides a municipality may "[e]nact an electrical code or otherwise exercise jurisdiction over electrical wiring and inspection of electrical wiring by enactment of ordinances, provided that the electrical code or ordinance strictly conforms with the state electrical wiring code promulgated by the department under s. 101.82 (1). A county ordinance shall apply in any city, village or town which has not enacted such an ordinance."

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; am. (1), Register, August, 1996, No. 488, eff. 9-1-96; am. (2) and r. (3), Register, September, 1999, No. 525, eff. 10-1-99; CR 08-047: renum. from Comm 16.04 Register February 2009 No. 638, eff. 3-1-09; corrections made under s. 13.92 (4) (b) 7., Stats., Register February 2009 No. 638; correction in (1), (2) made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672; CR 13-042: am. (1) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: r. and recr. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.005 Petition for variance. The department shall consider and may grant a variance to a provision of this chapter in accordance with ch. SPS 303. The petition for variance shall include, where applicable, a position statement from the fire department having jurisdiction.

Note: Chapter SPS 303 requires the submittal of a petition for variance form (SBD-9890) and a fee, and that an equivalency is established in the petition for variance that meets the intent of the rule being petitioned. Chapter SPS 303 also requires the department to process regular petitions within 30 business days and priority petitions within 10 business days.

Note: The Department forms required in this chapter are available for a nominal fee at telephone 800-DOC-SALE (800-362-7253) or 411 (Telecommunications Relay), or at docsales@doa.state.wi.us. Forms are also available at no charge at the Department's Web site at <http://dsps.wi.gov> through links to Division of Industry Services forms.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; r. and recr., Register, September, 1999, No. 525, eff. 10-1-99; CR 08-047: renum. from Comm 16.05 Register February 2009 No. 638, eff. 3-1-09; correction made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672.

SPS 316.006 Definitions. In this chapter:

(1) "Department" means the department of safety and professional services.

(2) "Electrical wiring" has the meaning given in s. 101.80 (1m), Stats.

Note: Under s. 101.80 (1m), Stats., "electrical wiring" means all equipment, wiring, material, fittings, devices, appliances, fixtures, and apparatus used for the production, modification, regulation, control, distribution, utilization, or safeguarding of electrical energy for mechanical, chemical, cosmetic, heating, lighting, or similar purposes, as specified under the state electrical wiring code. "Electrical wiring" does not include the equipment, wiring, material, fittings, devices, appliances, fixtures, and apparatus used by a public utility, an electric cooperative, or a wholesale merchant operator for the purpose of generating, transmitting, distributing, or controlling heat, light, power, or natural gas to its customers or members.

(3) "Farm" means a place where farming is conducted.

(4) "Farming" has the meaning given in s. 102.04 (3), Stats.

Note: Under s. 102.04 (3), Stats., "farming" means the operation of farm premises owned or rented by the operator. "Farm premises" means areas used for operations herein set forth, but does not include other areas, greenhouses or other similar structures unless used principally for the production of food and farm plants.

Note: Section 102.04 (3), Stats., states that the operation of farm premises shall be deemed to be the planting and cultivating of the soil thereof; the raising and harvesting of agricultural, horticultural or arboricultural crops thereon; the raising, breeding, tending, training and management of livestock, bees, poultry, fur-bearing animals, wildlife or aquatic life, or their products, thereon; the processing, drying, packing, packaging, freezing, grading, storing, delivering to storage, to market or to a carrier for transportation to market, distributing directly to consumers or marketing any of the above-named commodities, substantially all of which have been planted or produced thereon; the clearing of such premises and the salvaging of timber and management and use of wood lots thereon, but not including logging, lumbering or wood cutting operations unless conducted as an accessory to other farming operations; the managing, conserving, improving and maintaining of such premises or the tools, equipment and improvements thereon and the exchange of labor, services or the exchange of use of equipment with other farmers in pursuing such activities.

(5) "Multifamily dwelling" has the meaning given in s. 101.01 (8m), Stats.

Note: Under s. 101.01 (8m), Stats., "multifamily dwelling" means "an apartment building, rowhouse, town house, condominium or modular home, as defined in s. 101.71 (6), that does not exceed 60 feet in height or 6 stories and that consists of 3 or more attached dwelling units, as defined in s. 101.61 (1), the initial construction of which is begun on or after January 1, 1993. 'Multifamily dwelling' does not include a facility licensed under ch. 50."

(6) "Municipality" means a city, village, town, or county in this state.

(7) "One- and 2- family dwellings" means any buildings that contain one or 2 dwelling units the construction of which commenced on or after December 1, 1978.

(8) "Place of employment" has the meaning given in s. 101.01 (11), Stats.

Note: Under s. 101.01 (11), Stats., "place of employment" includes every place, whether indoors or out or underground and the premises appurtenant thereto where either temporarily or permanently any industry, trade or business is carried on, or where any process or operation, directly or indirectly related to any industry, trade or business, is carried on, and where any person is, directly or indirectly, employed by another for direct or indirect gain or profit, but does not include any place where persons are employed in private domestic service which does not involve the use of mechanical power or in farming. "Farming" includes those activities specified in s. 102.04 (3), Stats., and also includes the transportation of farm products, supplies or equipment directly to the farm by the operator of said farm or employees for use thereon, if such activities are directly or indirectly for the purpose of producing commodities for market, or as an accessory to such production. When used with relation to building codes, "place of employment" does not include an adult family home, as defined in s. 50.01 (1), Stats., or, except for the purposes of s. 101.11, Stats., a previously constructed building used as a community-based residential facility, as defined in s. 50.01 (1g), Stats., which serves 20 or fewer residents who are not related to the operator or administrator.

(9) "Public building" has the meaning given in s. 101.01 (12), Stats.

Note: Under s. 101.01 (12), Stats., "public building" means any structure, including exterior parts of such building, such as a porch, exterior platform or steps providing means of ingress or egress, used in whole or in part as a place of resort, assembly, lodging, trade, traffic, occupancy or use by the public or by 3 or more tenants. When used in relation to building codes, "public building" does not include a previ-

ously constructed building used as a community-based residential facility as defined in s. 50.01 (1g), Stats., which serves 20 or fewer residents who are not related to the operator or administrator or an adult family home, as defined in s. 50.01 (1), Stats.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 8-1-18; correction in (5) made under s. 13.92 (4) (b) 7., Stats., Register June 2018 No. 750; correction in (5) made under s. 13.92 (4) (b) 7., Stats., Register November 2018 No. 755.

SPS 316.007 Adoption of standards by reference.

(1) **PRIMARY STANDARDS.** The following standards are incorporated by reference into this chapter, subject to the modifications specified in this chapter:

(a) Except as provided under par. (am), National Fire Protection Association (NFPA), One Batterymarch Park, Quincy, MA 02169-7471, telephone 800-344-3555, www.nfpa.org; NFPA 70 National Electrical Code, (NEC) – 2017.

Note: Copies of the standards are on file in the offices of the Department and the Legislative Reference Bureau. A copy of the code may be purchased from the organization listed or may be reviewed on the organization's website at no cost if the person is a registered user for the site.

(am) Prior to January 1, 2020, for all electrical wiring, installations, equipment, and materials used in the construction of one- and 2- family dwellings, National Fire Protection Association (NFPA), One Batterymarch Park, Quincy, MA 02169-7471, telephone 800-344-3555, www.nfpa.org; NFPA 70 National Electrical Code, (NEC) – 2011.

(b) If a requirement in the standards adopted in pars. (a) and (am) contain a cross-reference to another requirement modified by this chapter, the modification shall apply to the cross-reference unless specified otherwise in this chapter.

(2) **SECONDARY REFERENCES.** Any codes or standards referenced in the standards adopted in sub. (1) (a) and (am) shall apply to the prescribed extent of each such reference, except as modified by this chapter.

(3) **ALTERNATE STANDARDS.** Any alternate standard that is equivalent to or more stringent than a standard incorporated by reference or otherwise referenced under this chapter may be used in lieu of the incorporated or referenced standard if the alternate standard is accepted in writing by the department.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; am. (1), Register, March, 1994, No. 459, eff. 4-1-94; am. (1), Register, August, 1996, No. 488, eff. 9-1-96; r. and recr., Register, September, 1999, No. 525, eff. 10-1-99; CR 02-072: r. (1), renum. (2) to be Comm 16.12 and am. Register April 2003 No. 568, eff. 5-1-03; CR 05-010: am. Register August 2005 No. 596, eff. 9-1-05; CR 08-047: renum. from Comm 16.12 and am. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: r. and recr. Register November 2013 No. 695, eff. 12-1-13; CR 16-093: renum. from SPS 316.014 and am. (1) (intro.), (a), cr. (1) (am), am. (1) (b), (2) Register June 2018 No. 750, eff. 8-1-18.

Subchapter II — Administration and Enforcement

SPS 316.011 Administration. (1) **MUNICIPAL ADMINISTRATION.** (a) *Jurisdiction conditions.* Pursuant to s. 101.86 (1), Stats., municipalities may exercise jurisdiction over the inspection of electrical wiring installations at farms, public buildings, places of employment, campgrounds, manufactured home communities, public marinas, piers, docks, or wharves and recreational vehicle parks provided the municipality complies with all of the following:

1. The municipality holds a registration issued by the department as an inspection agency for the purpose of issuing permits and inspecting electrical wiring at farms, public buildings, places of employment, campgrounds, manufactured home communities, public marinas, piers, docks, or wharves and recreational vehicle parks.

2. The municipality notifies the department at least 60 days prior to the date upon which the municipality intends to assume the jurisdiction.

3. The municipality provides the department with a copy of its electrical ordinances and subsequent revisions to the ordinances.

4. The municipality's ordinances adopt this chapter in its entirety.

5. The municipality employs or contracts with certified commercial electrical inspectors or independent inspection agencies to perform electrical inspection activities.

6. The municipality provides the department with the names of its certified commercial electrical inspectors and independent inspection agencies employed or contracted by the municipality, if applicable.

Note: Section 13.48 (13), Stats., exempts state buildings from local ordinances or regulations relating to building construction, permits, and similar restrictions.

Note: These provisions do not limit municipal authority to implement regulatory oversight for other electrical wiring installations at other locations not addressed under this section. The permitting and inspection of electrical wiring installations for the construction of new one- and 2- family dwellings are addressed under ch. SPS 320.

(b) *County.* Ordinances enacted by a county under this subsection establishing electrical inspection functions may not prevent or prohibit a municipality within that county from assuming those functions at any time.

Note: Pursuant to s. 101.86 (1) (a), Stats., a county ordinance shall apply in any city, village or town which has not enacted such an ordinance.

(c) *Relinquishing of jurisdiction.* A municipality shall notify the department, in writing, at least 60 days prior to the date upon which the municipality intends to relinquish jurisdiction responsibilities.

(2) **DEPARTMENT ADMINISTRATION.** (a) In municipalities not exercising jurisdiction under sub. (1), the department shall provide permit and inspection services for the installation of electrical wiring on farms and in public buildings, places of employment, campgrounds, manufactured home communities, public marinas, piers, docks, or wharves and recreational vehicle parks.

(b) Pursuant to ss. 101.02 (5) and (15) and 101.82 (2m), Stats., municipalities engaging in providing plan review, permit issuance, or inspections regarding electrical wiring under the scope of this chapter as a designated inspection agency may be monitored or audited by the department for compliance with administrative requirements of this chapter and s. SPS 305.627.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 8-1-18, except (1) (a) 1., eff. 3-1-19, and (2), eff. 1-1-20.

SPS 316.012 Permits. (1) (a) Except for an electrical wiring project described in s. 101.875 (2), Stats., and as provided in par. (b), no electrical wiring project may commence unless the owner of the premises where the installation is to occur or their agent holds a permit from the designated inspection agency if the project involves the installation of new or an addition to any electrical service, feeder, or branch circuit serving any of the following:

1. A farm.
2. A public building, structure, or premises.
3. A place of employment.
4. A campground.
5. A manufactured home community.
6. A public marina, pier, dock, or wharf.
7. A recreational vehicle park.

(b) Under emergency conditions, the necessary electrical wiring may commence without obtaining a permit, provided the owner of the premises where the installation is to occur or their agent submits a permit application to the inspection agency designated by the department to provide electrical inspections for the installation no later than the next business day after commencement of the installation.

(2) The application for a permit required under sub. (1) shall contain all of the following information:

- (a) The name of the applicant.
- (b) The name of the building or property owner.
- (c) The location of the electrical wiring installation.
- (d) The scope and extent of the electrical wiring installation.
- (e) 1. The name of the person responsible for the installation.

2. The name and license number of the master electrician, residential master electrician, or registered master electrician under s. SPS 305.437 responsible for the installation, unless exempted under s. 101.862 (4), Stats.

(3) (a) The issuing inspection agency shall indicate on the electrical permit the date of issuance.

(b) A permit required under sub. (1) shall expire 12 months after the date of issuance, if installation of the electrical wiring has not commenced.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 1-1-20.

SPS 316.013 Inspections. (1) Except as provided under s. 101.875 (2), Stats., electrical wiring installations shall be subject to inspection.

Note: See s. SPS 320.10 regarding the inspections for the construction of new one- and 2- family dwellings.

(2) Inspections of electrical wiring installations described under s. SPS 316.012 (1) (a) shall be conducted by a certified commercial electrical inspector.

Note: See s. SPS 305.62 for certification provisions for commercial electrical inspectors.

(3) (a) The building owner or their agent shall notify the inspection agency designated by the department to provide electrical inspections when the electrical wiring installation is ready for inspection.

(b) Except as provided in par. (c), to facilitate inspection all of the following shall apply:

1. Electrical wiring shall remain accessible and exposed for inspection purposes.

2. Electrical wiring may not be energized.

(c) 1. The concealment or energizing of electrical wiring, other than an electrical service, may proceed if inspection has not been completed within 2 business days after notification is received or as otherwise agreed between the wiring installer and the designated inspection agency providing the inspection.

2. The notification that an electrical wiring installation is ready for final inspection shall be made to indicate when all electrical fixtures, outlets and face plates are in place and the installation or that portion of the installation is energized.

(d) 1. If upon inspection, it is found that the installation is in compliance with this chapter, the certified inspector shall approve the installation prior to concealment or energizing of the electrical wiring.

2. If upon inspection, it is found that the installation is incomplete or not in compliance with this chapter, orders to correct shall be issued. An order may include the condition that the electrical wiring is to remain unconcealed and non-energized until re-inspected.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 1-1-20.

SPS 316.014 Penalties. Penalties for violations of this chapter shall be assessed in accordance with s. 101.02 (12) and (13), or s. 101.88 (3), Stats.

Note: Section 101.02 (13) (a), Stats., indicates penalties will be assessed against any employer, employee, owner or other person who fails or refuses to perform any duty lawfully enjoined, within the time prescribed by the department, for which no penalty has been specifically provided, or who fails, neglects or refuses to comply with any lawful order made by the department, or any judgment or decree made by any court in connection with ss. 101.01 to 101.599, Stats. For each violation, failure or refusal, the employee, owner or other person must forfeit and pay into the state treasury a sum not less than \$10 nor more than \$100 for each violation.

Note: Section 101.02 (12), Stats., indicates that every day during which any person, persons, corporation or any officer, agent or employee thereof, fails to observe and comply with an order of the department will constitute a separate and distinct violation of such order.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; am., Register, September, 1999, No. 525, eff. 10-1-99; CR 08-047: renum. from Comm 16.06 Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.006 Register June 2018 No. 750, eff. 8-1-18.

SPS 316.015 Appeals. (1) APPEAL OF LOCAL ORDER. Any person affected by a local order which may be in conflict with a provision of this chapter may petition the department for a hear-

ing on the grounds that the local order is unreasonable and in conflict with the provision of this chapter. All appeals shall be acted on and a decision in writing shall be issued by the department within 30 business days of receiving an appeal.

Note: Section 101.01 (1) (f), Stats., defines "local order" as any ordinance, order, rule or determination of any common council, board of aldermen, board of trustees or the village board, of any village or city, or the board of health of any municipality, or an order or direction of any official of such municipality, upon any matter over which the department has jurisdiction.

(2) PETITION OF ADMINISTRATIVE RULE. Pursuant to s. 227.12, Stats., any municipality, corporation or any 5 or more persons having an interest in an administrative rule may petition the department requesting the adoption, amendment or repeal of the rule.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 08-047: renum. from Comm 16.07 Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.008 Register June 2018 No. 750, eff. 8-1-18.

SPS 316.016 Electrical plan review. Upon request, the department may perform electrical plan review for dwellings, public buildings, places of employment and electrical services.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.930 Register June 2018 No. 750, eff. 8-1-18.

SPS 316.017 Technical assistance. The department shall provide technical assistance to the extent possible with the available resources to any person, upon written request, regarding interpretation and application of this chapter. The technical assistance may consist of telephone, written, in-office or on-site review of specific problems.

History: Cr. Register, September, 1999, No. 525, eff. 10-1-99; CR 08-047: renum. from Comm 16.67 Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.960 Register June 2018 No. 750, eff. 8-1-18.

Subchapter III — General Requirements

SPS 316.020 Construction and operation. (1) GENERAL. All electrical power and communication equipment and lines shall be constructed, installed, operated, and maintained so as to minimize hazards to life and property. All electrical installations shall conform to the National Electrical Code, incorporated by reference in this chapter, and the requirements specified in this chapter.

Note: The federal and state Fair Housing Acts, the federal Americans with Disabilities Act, and the Wisconsin Commercial Building Code under chs. SPS 361 to 366 contain requirements relating to making buildings accessible to and usable by people with disabilities. Some of those requirements apply to the installation of various electrical devices. For example, in the federal Fair Housing Accessibility Guidelines, devices such as light switches, electrical outlets, thermostats and other environmental controls would meet the requirements if operable parts of the controls are located no higher than 48 inches, and no lower than 15 inches, above the floor. If the reach is over an obstruction between 20 and 25 inches in depth, the maximum height is reduced to 44 inches for forward approach; or 46 inches for side approach, provided the obstruction is no more than 24 inches in depth. Complete copies of the federal Fair Housing Accessibility Guidelines or the federal Americans with Disabilities Act Accessibility Guidelines can be obtained from the Superintendent of Documents, New Orders, P.O. Box 371954, Pittsburgh, PA 15250-7954.

(2) INSTALLATIONS OVER 600 VOLTS. Installations over 600 volts shall, in addition to the requirements of this chapter, comply with ch. PSC 114.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 08-047: renum. from Comm 16.08 Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.009 and am. (1) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.021 Maintenance. All electrical wiring installations and equipment shall be cleaned and inspected at intervals as experience has shown to be necessary. Any equipment or electrical wiring installation known to be defective so as to endanger life or property shall be promptly repaired, permanently disconnected or isolated until repairs can be made.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 08-047: renum. from Comm 16.09 Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.010 and am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.022 Use of approved materials and construction methods. (1) MATERIALS. Materials, equipment, and products that do not comply with the requirements of this chapter shall not be used unless approved in writing by the department in an approval of a petition for variance. Approval of

materials, equipment, and products shall be based on sufficient data, tests, and other evidence that prove the material, equipment, or product meets the intent of the requirements of this chapter. Data, tests, and other evidence shall be provided by a qualified independent third party.

Note: Examples of a qualified independent third party include a nationally recognized testing laboratory and a professional engineer.

(2) METHODS OF INSTALLATION. Methods of installation that do not comply with the regulations of this chapter shall not be used unless approved in writing by the department in an approval of a petition for variance.

(3) NEW PRODUCTS, CONSTRUCTIONS OR MATERIALS. The incorporated *National Electrical Code*® may require new products, constructions, or materials that may not be available at the time this chapter is adopted. In such event, the department may permit the use of the products, constructions or materials which comply with a previous edition of the *National Electrical Code*®.

History: Cr. Register, October, 1990, No. 418, eff. 11-1-90; CR 02-072: r. and recr. (1) Register April 2003 No. 568, eff. 5-1-03; CR 08-047: renum. from Comm 16.11 Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (1) to (3) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: renum. from SPS 316.012 and am. (1), (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.023 Electric fences. The following are department rules in addition to the requirements of the *NEC*®:

(1) ELECTRIC FENCE CONTROLLERS. (a) Electric fence controllers shall be of a type listed by a nationally recognized testing laboratory.

(b) Electric fence controllers shall be installed and used in the exact manner and for the exact purpose indicated by the manufacturer's instructions, markings, listings or labels.

(2) GROUNDING. Electric fence controllers shall be grounded as specified in NEC 250, except that where stray voltages in dairy barns or milking parlors create physical problems to the animals, the use of a single made electrode shall be permitted.

(3) EXCEPTION. Subsections (1) and (2) do not apply to electric fence controllers designed and manufactured for the purpose of controlling humans.

Note: Under s. 101.18, Stats., the Department is responsible for establishing "...reasonable standards, rules or regulations for the erection, construction, repair and maintenance of electric fences as shall render them safe."

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.013, cr. (3) Register June 2018 No. 750, eff. 8-1-18.

Subchapter IV — Changes, Additions or Omissions to the *NEC*®

SPS 316.080 Changes, additions or omissions to *NEC*®. Changes, additions or omissions to the *National Electrical Code*® (*NEC*®) are specified in this subchapter and are rules of the department and not requirements of the *NEC*®.

Note: The referenced *NEC*® article or section number will correspond with the SPS designation number and title and will precede the text of the rule. Example: SPS 316.100 [NEC 100].

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 16-093: renum. from SPS 316.015 Register June 2018 No. 750, eff. 8-1-18.

SPS 316.090 Introduction. The requirements specified in 2011 and 2017 NEC 90.1, NEC 90.2, and NEC 90.4 are not included as part of this chapter.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.100 Definitions. **(1) ADDITIONS.** The following are department definitions in addition to the definitions in NEC 100:

(a) "Floors" means stories as specified in chs. SPS 361 to 366.

(b) "Nonrated construction" means Types III, IV and V construction in accordance with chs. SPS 361 to 366 and is considered to be nonfire-rated for the purposes of this chapter.

(c) "Private sewage system" has the meaning specified under s. 145.01 (12), Stats.

Note: Under s. 145.01 (12), Stats., "private sewage system" means a sewage treatment and disposal system serving a single structure with a septic tank and soil absorption field located on the same parcel as the structure. This term also means an alternative sewage system approved by the department including a substitute for the septic tank or soil absorption field, a holding tank, a system serving more than one structure or a system located on a different parcel than the structure. A private sewage system may be owned by the property owner or a special purpose district.

(2) SUBSTITUTIONS. The following department definition is a substitution for the respective definition in 2011 and 2017 NEC 100: "Special permission" means a petition for variance in accordance with s. SPS 316.005.

Note: See chs. SPS 361 to 366 for fire-resistance standards.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; correction in (1) (a), (b), (c), (2) (b) made under s. 13.92 (4) (b) 6, 7, Stats., Register December 2011 No. 672; CR 16-093: r. (1) (a), renum. (1) (b) to (d) to (1) (a) to (c), (2) (intro.), (b) consolidated and renum. to (2) and am., r. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.110 Examination, identification, installation, use, and listing of equipment. **(1)** Substitute the following wording for the requirements in 2011 NEC 110.3 (B): Listed or labeled equipment shall be installed or used, or both, in accordance with any instructions included in the listing or labeling, provided the instructions, listing, or labeling do not conflict with this chapter.

(2) This is a department exception to the requirements of 2017 NEC 110.3 (C): Exception: As provided under s. SPS 316.022 (1), product testing and evaluation may be conducted by a qualified independent third party, including a nationally recognized testing laboratory or a professional engineer.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. Register November 2013 No. 695, eff. 12-1-13; CR 16-093: r. and recr. Register June 2018 No. 750, eff. 8-1-18; correction in numbering made under s. 13.92 (4) (b) 1. Register June 2018 No. 750.

SPS 316.210 Branch circuits. **(1) GROUND-FAULT CIRCUIT-INTERRUPTER PROTECTION FOR PERSONNEL.** (a) The requirements in 2017 NEC 210.8 (A) (7) do not apply to sinks located in kitchens.

(b) The requirements in 2017 NEC 210.8 (A) (9) and (10) are not included as part of this chapter.

(c) Substitute the following wording for 2017 NEC 210.8 (B): All 125-volt, single-phase, 15- and 20-ampere receptacles installed in the following locations shall have ground-fault circuit interrupter protection for personnel.

(d) This is a department exception to the requirements in 2011 NEC 210.8 (A) and 2017 NEC 210.8 (A) and (B): Exception: Ground-fault circuit-interrupter protection shall not be required for a single receptacle providing power for sump, sewage, or condensate pumps where an accessible ground-fault circuit-interrupter protected receptacle is located within 900 mm (3 ft) of the non-GFCI protected receptacle.

(2) BRANCH CIRCUITS REQUIRED. (a) This is a department rule in addition to the requirements of 2011 NEC 210.11: Where an air conditioner sleeve is provided in a building wall, a receptacle outlet shall be located within 4 feet of the sleeve. If a circuit is not run to the outlet, a raceway shall be provided. When the air conditioner is installed in the sleeve, it shall be supplied by an individual branch circuit. A receptacle outlet installed for an air conditioner may not be counted as one of the receptacles required by NEC 210.52 (A).

(b) The requirements in 2017 NEC 210.11 (C) (4) are not included as part of this chapter.

(3) ARC-FAULT CIRCUIT-INTERRUPTER PROTECTION. The requirements in 2017 NEC 210.12 (A) do not apply to kitchens.

(4) BRANCH CIRCUIT EXTENSIONS OR MODIFICATIONS — DWELLING UNITS AND DORMITORY UNITS. The requirements in 2011 NEC 210.12 (B) and 2017 NEC 210.12 (D) are not included as part of this chapter.

(5) **LIGHTING OUTLETS REQUIRED.** Substitute the following wording for 2011 NEC 210.70 (A) (1): At least one wall switch-controlled lighting outlet shall be installed in every habitable room, kitchen, and bathroom.

(6) **COUNTERTOP RECEPTACLES.** The requirements in 2011 NEC 210.52 (A) (4) are not included as part of this chapter.

(7) **GARAGES.** Substitute the following wording for 2017 NEC 210.52 (G) (1): In each attached garage and in each detached garage with electric power.

(8) **MEETING ROOMS.** The requirements in 2017 NEC 210.71 do not apply to this chapter.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: r. (2) (a), (c), renum. (2) (b) to (2), r. and recr. (4), renum. (6) to (5), cr. (6) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: r. and recr. (1) to (6), cr. (7), (8) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.220 Branch-circuit, feeder and service calculations. (1) GENERAL. This is a department exception to the requirements in 2011 NEC 220.10: Circuit load calculations may use unit load values lower than those identified in NEC Table 220.12 for lighting loads calculated using the maximum electrical energy conservation values specified under ch. SPS 363 for public buildings and places of employment.

(2) **EXCEPTION.** This is a department exception to the requirements in 2011 and 2017 NEC 220.40: Exception: Under the supervision of a Wisconsin professional engineer, architect or designer of electrical systems, the feeder or service size may be computed using diversity factors or historical data of a similar type of building, other than one- and 2-family dwelling units.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: r. and recr. (1) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1), (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.225 Outside branch circuits and feeders. (1) CLEARANCES FROM BUILDINGS FOR CONDUCTORS NOT OVER 600 VOLTS. Substitute the following wording for 2011 NEC 225.19 (A) Exception No. 4: The requirement for maintaining the vertical clearance 3 feet from the edge of the roof does not apply to the final conductor span to the building.

(2) **NUMBER OF SUPPLIES.** The following are department rules in addition to the requirements in 2011 and 2017 NEC 225.30:

(a) For the purpose of this section, multiple feeders that are supplied from the same distribution point, having a total rating of 300 amperes or more, and that supply not more than 6 disconnecting means grouped at the same location shall be considered as one supply.

(b) Multi-occupancy buildings or structures may have one set of branch circuit conductors installed from a dwelling unit to the second building or structure's respective occupied space.

(3) **LOCATION.** This is a department rule in addition to the requirements of 2011 and 2017 NEC 225.32: The building disconnect required by NEC 225.31 shall be located in accordance with s. SPS 316.230 (3).

Note: See ch. PSC 114 regarding clearances of conductors of over 600 volts and for prohibition of constructing dwellings under or near overhead lines.

(4) **CLEARANCES OVER ROADWAYS, WALKWAYS, RAIL, WATER AND OPEN LAND.** Substitute the following wording for the note to 2011 and 2017 NEC 225.60 (C): Note: For clearances of conductors of over 600 volts, see ch. PSC 114.

(6) **CLEARANCES OVER BUILDINGS AND OTHER STRUCTURES.** Substitute the following wording for the note to 2011 and 2017 NEC 225.61 (B): Note: See ch. PSC 114 regarding clearances of conductors of over 600 volts and for prohibition of constructing dwellings under or near overhead lines.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; correction in (4) made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672; CR 13-042: r. (1), renum. (2) to (5) to (1) to (4) and am. (2) (a) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1), (2) (intro.), (3), (4), (6) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.230 Services. (1) NUMBER OF SERVICES. (a) This is a department informational note to be used under 2011 and 2017 NEC 230.2 (intro.): Note: It is recommended that the electric utility or cooperative supplying electric current be contacted prior to service equipment installations for any special requirements.

(b) Substitute the following wording for NEC 230.2 (B) (2): Two or more service drops or laterals for the same class of service if located more than 150 feet apart, measured in a straight line, and provided that all electrical wiring supplied by each service has no common raceway or connection with any other service.

(c) This is a department rule in addition to the requirements of 2011 NEC 230.2 (B): For a building which is not more than 3 stories in height and which contains only 3 or more attached, vertically separated, side-by-side, or back-to-back dwelling units, with each dwelling unit served by an individual exterior exit within 6 feet of the exit discharge grade, a separate service drop or lateral shall be permitted for each 2 attached units.

(2) **NUMBER OF SERVICE-ENTRANCE CONDUCTOR SETS.** The requirements specified in 2011 and 2017 NEC 230.40 Exception No. 3 are not included as part of this chapter.

(3) **SERVICE EQUIPMENT — DISCONNECTING MEANS. (a) General.** This is a department rule in addition to the requirements of 2011 and 2017 NEC 230.70: Disconnecting means shall be provided to disconnect the utility wiring from the premises wiring at any point where utility wiring terminates and premises wiring extends overhead or underground to more than one building or structure.

(b) **Location.** This is a department rule in addition to the requirements of 2011 and 2017 NEC 230.70 (A): Raceways containing service conductors or cables, or service entrance cable not contained within a raceway, may not extend longer than 8 feet into a building to the service disconnect or the first service disconnect of a group of disconnects as permitted by NEC 230.71. The raceways or conductors shall be considered to have entered the building at the point where they pass through the outer surface of the building exterior, except as permitted by NEC 230.6.

(4) **RATING OF SERVICE DISCONNECTING MEANS — 2011 NEC.** This is a department rule in addition to the requirements of 2011 NEC 230.79:

(a) **Two- or multi-family dwellings.** Except as provided in par. (b), for 2-family or multi-family dwellings, the service equipment shall have a rating of not less than 150 amperes, 3-wire or 4-wire. Where the combined rating of all service disconnecting means is 150 amperes or larger, the service or feeder equipment rating for each dwelling unit shall have a rating of not less than 60 amperes.

(b) **Exception.** Service equipment having a rating of not less than 100 amperes, 3-wire or 4-wire, may be installed in an existing 2-family dwelling only where both of the following conditions are complied with:

1. The load computed in accordance with NEC 220 does not exceed 80 amperes.

2. Specific written approval is granted by the municipal inspection department having jurisdiction.

(5) **RATING OF SERVICE DISCONNECTING MEANS — 2017 NEC.** This is a department rule in addition to the requirements of 2017 NEC 230.79: For 2-family or multi-family dwellings, the service equipment shall have a rating of not less than 150 amperes, 3-wire or 4-wire.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: renum. (3) to (3) (b) and am. (3) (b) (title), renum. (4) to (3) (a) and am. (3) (title), (3) (a) (title), renum. (5) to (4) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1) (a) (intro.), (c), (2), (3) (a), (b), (4) (intro.), cr. (5) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.240 Overcurrent protection. The requirements in 2017 NEC 240.67 do not apply to this chapter.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.250 Grounding and bonding. (1) SUPPLEMENTAL ELECTRODE REQUIRED. The exception in 2011 and 2017 NEC 250.53 (A) (2) is not included as part of this chapter.

(2) SUPPLEMENTAL ELECTRODE. This is a department rule in addition to the requirements in 2011 and 2017 NEC 250.53 (A) (3): A single electrode consisting of a rod, pipe or plate shall be augmented by one additional electrode of any of the types in NEC 250.52 (A) (4) to (A) (8).

(3) TYPES OF EQUIPMENT GROUNDING CONDUCTORS. This is a department rule in addition to the requirements of 2017 NEC 250.118: A metallic raceway installed in direct contact with earth, in concrete slabs or floors poured on earth, or in exterior concrete walls below grade shall be augmented with a supplemental equipment grounding conductor identified in NEC 250.118 (1). This supplemental conductor shall be sized in accordance with NEC 250.122. An aluminum equipment grounding conductor used for this purpose shall be insulated.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: r. and recr. Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1), (2), cr. (3) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.300 Wiring methods. (1) ELECTRICAL REQUIREMENTS FOR PRIVATE ONSITE WASTEWATER TREATMENT SYSTEMS. These department rules apply to private onsite wastewater treatment systems and are in addition to the requirements of 2011 and 2017 NEC 300:

(a) *Wiring methods.* All effluent pump circuit wiring shall comply with the approved wiring methods as specified in NEC 300 and all of the following requirements:

1. Effluent pumps shall be supplied by a separate branch circuit supplying no other loads.
2. Alarm wiring may not be connected to the pump circuit.
3. All aboveground cables and flexible cords shall be enclosed to protect against physical damage.
4. The neutral conductor may not be common to both alarm and pump circuits.

5. Where the wiring enclosure for the alarm and pump circuit is located outside the pump chamber, any openings into the pump chamber for circuit wiring shall be sealed or plugged to prevent the passage of gas or vapor into the wiring enclosure.

Note: This prohibits use of a multi-wire branch circuit to supply both the alarm and pump.

Note: See NEC 430.102 for location of disconnects.

(b) *Ground-fault circuit protection.* A single receptacle located at the pump chamber that has an alarm or pump connected to it does not require ground-fault circuit-interrupter protection.

(2) PROTECTION AGAINST PHYSICAL DAMAGE. (a) The requirements specified in 2011 NEC 300.4 (D) are not included as part of this chapter.

(b) This is a department exception in addition to the exceptions under 2017 NEC 300.4 (D): Exception No. 4: This distance does not need to be maintained within 8 inches of a device, junction box, splice, or termination point.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: cr. (1) (a) 5, Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1) (title), (intro.), renum. (2) to (2) (a) and am., cr. (2) (b) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.310 Conductors for general wiring.

(1) This is a department rule in addition to the requirements in 2011 NEC 310.15 (B) (3) (a): The derating factors shown in NEC Table 310.15 (B) (3) (a) do not apply to branch circuits supplying an individual dwelling unit except under the following conditions: Exception No. 6: The derating factors shown in NEC Table 310.15 (B) (3) (a) do not apply to branch circuits supplying an individual dwelling unit except under the following conditions:

(a) Where more than two NM cables containing two or more current-carrying conductors are installed, without maintaining spacing between the cables, through the same opening in wood framing that is to be fire- or draft-stopped using thermal insulation, caulk or sealing foam, the allowable ampacity of each conductor shall be adjusted in accordance with Table 310.15 (B) (3) (a) and the provisions of 310.15 (A) (2) shall not apply.

(b) Where more than two NM cables containing two or more current-carrying conductors are installed in contact with thermal insulation without maintaining spacing between cables, the allowable ampacity of each conductor shall be adjusted in accordance with Table 310.15 (B) (3) (a).

(2) This is a department rule in addition to the requirements in 2017 NEC 310.15 (B) (3) (a): The derating factors shown in NEC Table 310.15 (B) (3) (a) do not apply to branch circuits supplying an individual dwelling unit.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title), (intro.) Register November 2013 No. 695, eff. 12-1-13; corrections in (intro.), (1), (2) under s. 13.92 (4) (b) 7, Register November 2013 No. 695; CR 16-093: renum. (intro.) to (1) (intro.), cr. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.312 Cabinets, cutout boxes and meter socket enclosures. (1) CABLES. Substitute the following wording for 2011 and 2017 NEC 312.5 (C) Exception (intro.): Exception: Cables with entirely nonmetallic sheaths may enter an enclosure through one or more nonflexible raceways of not less than 12 inches and not more than 10 feet in length, provided all of the following conditions are met:

(2) OMISSION. The requirements specified in 2011 NEC 312.5 (C) Exception paragraph (b) and 2017 NEC 312.5 (C) Exception number 2 are not included as part of this chapter.

(3) FITTING. Substitute the following wording for 2011 NEC 312.5 (C) Exception paragraph (c) and 2017 NEC 312.5 (C) Exception number 3: A fitting is provided on each end of the raceway to protect the cable from abrasion.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.314 Outlet, device, pull and junction boxes; conduit bodies; fittings; and handhole enclosures. (1) CONDUCTORS ENTERING BOXES, CONDUIT BODIES, OR FITTINGS. This is a department exception to the requirements of 2011 and 2017 NEC 314.17 (B) and (C): Exception: Nonmetallic sheathed cable is not required to be secured to the box or conduit body where it is installed in accordance with the wiring method specified in s. SPS 316.312.

(2) OUTLET BOXES. This is a department rule in addition to the requirements of 2011 NEC 314.27 (A): In a dwelling unit, a ceiling outlet box installed for use as a lighting fixture outlet in a habitable room or kitchen and located where a ceiling fan could be installed shall be a type listed for ceiling fan support.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; correction in (1) made under s. 13.92 (4) (b) 7., Stats., Register December 2011 No. 672; CR 13-042: am. (title) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.334 Nonmetallic-sheathed cable: Types NM, NMC and NMS. (1) USES PERMITTED. Substitute the following wording for 2011 and 2017 NEC 334.10 (3): Other structures permitted to be of Types III, IV, and V construction except as prohibited in NEC 334.12.

(2) TYPES NM, NMC, AND NMS. The requirements specified in 2011 and 2017 NEC 334.12 (A) (2) are not included as part of this chapter.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (2) (title) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.358 Uses permitted. This is a department rule in addition to the requirements of 2011 and 2017 NEC 358.12: Electrical metallic tubing may not be used in direct contact with

earth, in concrete slabs or floors poured on earth, or in exterior concrete walls below grade.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.400 Flexible cords and cables. (1) This is a department exception in addition to the exception in 2011 NEC 400.8 (4): Exception No. 2: Flexible cords and cables permitted by NEC 400.7 (A) that are connected to sources other than busways may be attached to adequately supported equipment or building surfaces provided the type of cord or cable, the attachment to the building and equipment, and the support comply with the provisions of NEC 368.56 (B).

(2) This is a department exception in addition to the exception in 2017 NEC 400.12 (4): Exception No. 2: Flexible cords and cables permitted by NEC 400.10 (A) that are connected to sources other than busways may be attached to adequately supported equipment or building surfaces provided the type of cord or cable, the attachment to the building and equipment, and the support comply with the provisions of NEC 368.56 (B).

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: renum. SPS 316.400 to (1) and am., cr. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.404 Switches controlling lighting loads. The requirements in 2017 NEC 404.2 (C) do not apply to dwelling units.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.406 Receptacles, cord connectors and attachment plugs (caps). (1) The requirements in 2011 and 2017 NEC 406.4 (D) (4) are not included as part of this chapter.

(2) Substitute the following wording for 2017 NEC 406.9 (B) (1): Receptacles of 15 and 20 amperes, 125 and 250 volts installed in a wet location shall have an enclosure that is weatherproof whether or not the attachment plug cap is inserted.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: Register November 2013 No. 695, eff. 12-1-13; CR 16-093: renum. SPS 316.406 to (1) and am., cr. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.450 Transformers and transformer vaults (including secondary ties). (1) OVERCURRENT PROTECTION. This is a department rule in addition to the requirements in 2011 and 2017 NEC Table 450.3 (A) Note 3: The qualified person shall be either an employee at that location or an employee contracted for this purpose who is readily available.

(2) LOCATION. Substitute the following wording for 2011 and 2017 NEC 450.41: Vaults containing oil-insulated transformers shall be located where the vaults can be ventilated to the outside air without using flues or ducts, except where a petition for variance is approved.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title), (1) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.511 Commercial garages, repair and storage. (1) The requirements specified in 2011 NEC 511.3 (C) (1) (a) are not included as part of this chapter.

(2) Substitute the following wording for 2011 NEC 511.3 (C) (2) (a): The ceiling area shall be unclassified where ventilation is provided from a point not more than 18 inches from the highest point in the ceiling. The ventilation shall conform to chs. SPS 361 to 366.

Note: The Commercial Building Code, chapters SPS 361 to 366, adopts and references the International Mechanical Code, IMC, for the design of ventilation systems. The adopted provisions of the International Mechanical Code under section 502.16 prescribe provisions for repair garages for natural gas- and hydrogen- fueled vehicles.

(3) Substitute the following wording for "Extent of Classified Location" in 2017 NEC Table 511.3 (C) under which the floor area of a major repair garage is considered unclassified: Up to 450 mm (18 in.) above floor level of the room where the room is provided

with ventilation from a point not more than 300 mm (12 in.) from the lowest point of the floor area and the ventilation conforms to chs. SPS 361 to 366.

(4) Substitute the following wording for "Extent of Classified Location" in 2017 NEC Table 511.3 (D) under which the ceiling area of a major repair garage is considered unclassified: Within 450 mm (18 in.) of ceiling where ventilation is provided from a point not more than 450 mm (18 in.) from the highest point in the ceiling and the ventilation conforms to chs. SPS 361 to 366.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: renum. SPS 316.511 to (1) and am. (title) and (1), cr. (2) Register November 2013 No. 695, eff. 12-1-13; correction in (1) made under s. 13.92 (4) (b) 7, Stats., Register November 2013 No. 695; CR 16-093: am. (1), (2), cr. (3), (4) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.547 Agricultural buildings. This is a department exception to the requirements in 2011 and 2017 NEC 547.5 (G): Exception: Ground-fault circuit-interrupter protection is not required for a single receptacle providing power for an electric fence controller used for livestock containment where an accessible ground-fault circuit-interrupter protected receptacle is located within 900 mm (3 ft) of the non-GFCI protected receptacle.

History: CR 13-042: cr. Register November 2013 No. 695, eff. 12-1-13; CR 16-03: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.551 Recreational vehicles and recreational vehicle parks. Substitute the following wording for 2017 NEC 551.71 (C): A minimum of 20 percent of existing and 40 percent of all new recreational vehicle sites, with electrical supply, shall each be equipped with a 50-ampere, 125/250-volt receptacle conforming to the configuration as identified in Figure 551.46 (C) (1). These electrical supplies shall be permitted to include additional receptacles that have configurations in accordance with 551.81.

History: CR 16-093: cr. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.620 Elevators, dumbwaiters, escalators, moving walks, platform lifts and stairway chairlifts. This is a department exception to the requirements in 2011 and 2017 NEC 620: Exception: Wherever NEC 620 requires disconnecting means with overcurrent protection to be located in an elevator machine room, control room, machinery space or control space and the elevator does not have such a room or space directly accessible from a building floor level, such devices shall be located instead in lockable cabinets or electrical rooms accessible only to qualified persons.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title) Register November 2013 No. 695, eff. 12-1-13; CR 14-020: renum. 316.620 to (2), cr. (1) Register August 2014 No. 704, eff. 9-1-14; CR 16-093: renum. (1) to SPS 316.620 and am., r. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.675 Electrically driven or controlled irrigation machines. (1) This is a department rule in addition to the requirements in 2011 NEC 675.8: A service disconnecting means with overcurrent protection shall be provided at the service point in accordance with NEC 230 subchapter VI.

(2) This is a department rule in addition to the requirements in 2017 NEC 675.8: A service disconnecting means with overcurrent protection shall be provided at the service point in accordance with NEC 230 Part VI.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. Register November 2013 No. 695, eff. 12-1-13; CR 16-093: renum. SPS 316.675 to (1) and am., cr. (2) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.680 Swimming pools, fountains and similar installations. (1) PERIMETER SURFACES. This is a department rule in addition to the requirements of 2011 NEC 680.26 (B) (2): The requirements specified in NEC 680.26 (B) (2) do not apply to a listed self-contained spa or hot tub constructed with nonmetallic walls.

(2) POOL WATER. This is a department rule in addition to the requirements of 2011 NEC 680.26 (C): The requirements speci-

fied in NEC 680.26 (C) do not apply to a listed self-contained spa or hot tub constructed with nonmetallic walls.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (title) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

SPS 316.700 Emergency systems. (1) WIRING, EMERGENCY SYSTEM. This is a department rule in addition to the requirements of 2011 and 2017 NEC 700.10 (B):

(a) Except as provided in par. (b), emergency circuit wiring shall be listed raceways, Type AC cable or Type MC cable.

(b) Emergency lighting fixtures may use flexible cord connections in compliance with NEC 410.62 (C) for electric discharge luminaries.

(2) GENERAL REQUIREMENTS. This is a department rule in addition to the requirements in 2011 and 2017 NEC 700.12 (intro.): The enclosure of the alternate source of power located outdoors for emergency systems shall be located at least 10 feet horizontally from any combustible portion of a Type III, Type IV, or Type V building and at least 20 feet from an outdoor electrical transformer, electrical metering, service equipment, or normal power distribution equipment. These dimensions may be reduced where a noncombustible barrier is installed that extends at least 3 feet beyond each side of the alternate power source and transformer. The height of the barrier shall be at least one foot above the top of the transformer, electrical metering, service equipment, or alternate power source, whichever is higher.

(3) GENERAL REQUIREMENTS, DUAL SUPPLIES. The requirements in 2011 and 2017 NEC 700.12 (B) (3) are not included as part of this chapter.

Note: See chs. SPS 361 to 366 for further requirements.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; CR 13-042: am. (1) (intro.), (3) Register November 2013 No. 695, eff. 12-1-13; CR 16-093: am. (1) (intro.), (2), (3) Register June 2018 No. 750, eff. 8-1-18.

SPS 316.701 Legally required standby systems.

(1) ADDITION. This is a department rule in addition to the requirements in 2011 and 2017 NEC 701.12 (intro.): The enclosure of the alternate source of power located outdoors for legally required standby systems shall be located at least 10 feet horizontally from any combustible portion of a Type III, Type IV, or Type V building and at least 20 feet from an outdoor electrical transformer, electrical metering, service equipment, or normal power distribution equipment. These dimensions may be reduced where a noncombustible barrier is installed that extends at least 3 feet beyond each side of the alternate power source and transformer. The height of the barrier shall be at least one foot above the top of the transformer, electrical metering, service equipment, or alternate power source, whichever is higher.

(2) DELETION. The requirements specified in 2011 and 2017 NEC 701.12 (B) (3) are not included as part of this chapter.

Note: See chs. SPS 361 to 366 for further requirements.

History: CR 08-047: cr. Register February 2009 No. 638, eff. 3-1-09; correction in (1) made under s. 13.92 (4) (b) 7., Stats., Register February 2009 No. 638; corrections in (1), (2) made under s. 13.92 (4) (b) 7., Stats., Register November 2013 No. 695; CR 16-093: am. Register June 2018 No. 750, eff. 8-1-18.

Ordinance No. 2020-04

An ordinance amending Section 20 of the Municipal Code of the Village of Random Lake
Establishing a Village Police Department.

WHEREAS, pursuant to Wis. Stat. § 61.65(1) the Village Board has previously elected to contract with the Sheboygan County Sheriff Department for police protection services; and,

WHEREAS, pursuant to Wis. Stat. § 61.34(1) and 61.65 the Village Board may enact and enforce ordinances and employ persons necessary to carry out that function.

WHEREAS, it is in the public interest and welfare to establish the jurisdiction and duties of the Village Code Enforcement Officer of the Village of Random Lake, and for the issuance of citations to be authorized, as provided herein.

NOW, THEREFORE, the Village Board does hereby ordain as follows:

Section 20-19. Police Protection service contract is hereby amended to read as follows:

Sec. 20-19. - Police protection service contract.

In accordance with Wis. Stats. § 61.65(1)(c), the village elects to contract for police protection services with the county. **The village also elects to hire a Code Enforcement Officer to provide additional enforcement of the Village Code in the community.** Deputy sheriffs assigned to the village by the sheriff along with the Code Enforcement Officer shall jointly constitute the village police department.

(Code 1994, § 4.01)

Section 20-20 Officer powers and duties is hereby amended to read as follows:

Sec. 20-20. - Officer powers and duties.

(a) *General powers and duties.* Each officer of the department shall possess the powers conferred on marshals and constables by law, shall preserve the public peace and may enforce the laws and ordinances of the state and village subject to the orders, rules and regulations of the county sheriff under the terms of the agreement between the village and the county.

(b) *Power of arrest.* Any police officer of the department may arrest any person in the village found in the act of violating any law or ordinance of the village or the state, or aiding or abetting in such violation, and they shall arrest, without warrant as authorized by state statutes, any person who they have reasonable grounds to believe has violated any law or ordinance and who will not be apprehended unless immediately arrested, may take any arrested person in charge and confine them, and shall, within a reasonable time, bring such person before the court having jurisdiction thereof to be dealt with according to law.

(Code 1994, § 4.02)

Enacted this 21st day of September, 2020

Village of Random Lake

Robert McDermott, President

Jo Ann Lesser, Clerk/Treasurer

Proposed Operating Budget--Lakeview Community Library

		Notes	Grant	2021
43700	Grants from Local Governments			
43720	Grants-Library	IMLS Grant Year 1.5 & 2	14219	\$14,219.00
43731	Fond du Lac County			\$328.00
43733	Manitowoc County			\$62.00
43734	Ozaukee County			\$45,418.16
43735	Sheboygan County			\$16,054.08
43736	Washington County			\$2,302.81
43741	Adell			\$11,374.00
43742	Random Lake			\$45,342.00
43743	Scott			\$49,113.00
43744	Sherman			\$41,572.00
45000	Fines, Forfeits, Penalties			\$2,500.00
46000	Public Charges for Services			\$2,500.00
48000	Miscellaneous Revenues			
48100	Interest on Investments			
48500	Donations and Contributions			
	TOTAL REVENUE			\$230,785.05
110	Salaries			\$47,500.00
120	Wages	includes wages for UWM interns & high schoolers via grant \$	9519	\$73,719.00
141	Worker's Comp			\$205.00
142	FICA			\$8,454.00
144	Health, Life Insurance			\$26,740.00
145	WRS, Retirement			\$4,000.00
211	Accounting			\$2,750.00
212	Fiscal Agent			\$3,500.00
220	Electricity			\$8,000.00
221	Telephone			\$1,800.00
222	Sewer, Water			\$250.00
223	Gas			\$2,500.00
240	Repair and Maintenance Services			\$7,000.00
241	Copy Machine			\$2,000.00
310	Office Supplies			\$350.00
311	Postage, UPS, etc.			\$250.00
312	Permits			\$500.00
313	Internet Access			\$1,200.00

314	Equipment	IMLS digitization equipment from grant	3000	\$3,500.00
320	Due to Other Libraries			\$300.00
330	Mileage			\$375.00
331	Continuing Education	IMLS grant	1700	\$1,900.00
341	AV Materials			\$6,250.00
342	Books			\$12,100.00
343	Databases			\$0.00
344	Monarch			\$11,700.00
345	Newspapers			\$350.00
346	Periodicals			\$1,000.00
347	Programming			\$0.00
348	RB Digital			\$0.00
349	Library Materials			\$1,200.00
360	Janitorial Supplies			\$1,250.00
390	General Operating Reserve			\$0.00
398	Advertising, Outreach			\$50.00
	TOTAL EXPENSES		14219	\$230,693.00

Payment Request

Request for: Partial Payment No: 2 Date: 9/2/2020
(Partial/Final)

Project: Grand Avenue & Spring Street Reconstruction

Owner: Village of Random Lake

Contractor: PTS Contractors, Inc. - 4075 Eaton Road - Green Bay, WI 54311

Original Contract Amount as Bid: \$ 1,890,044.60

Net Add (Deduct) by Revised Quantities: _____

Net Add (Deduct) by Change Order: _____

Total Contract This Date \$ 1,890,044.60

Value of Work Completed to Date: \$ 563,593.50

Less 5 Per Cent Retainage: (Of the first 50%) \$ 28,179.68

Net Total \$ 535,413.82

Project on Schedule: XX Yes _____ No _____ 30% Complete

Record of Previous Pay Requests:

1	<u>\$ 193,543.50</u>	6	_____
2	_____	7	_____
3	_____	8	_____
4	_____	9	_____
5	_____	10	_____

Amount Previously Billed \$ 193,543.50

Amount Due This Request \$ 341,870.32

This is to certify that, in accordance with the terms of the Contract, the Contractor is entitled to a payment in the amount requested.

By: *Mark Cheloni*
PTS Contractors, Inc.

Engineers Approval: By: _____

Date: 9/2/2020

Owner's Approval
for Payment: By: _____

*See Attachments

PTS Contractors, Inc.
4075 Eaton Road - Green Bay, WI 54311
Phone#: (920) 468-5217 Fax#: (920) 468-4047

Grand Avenue & Spring Street Reconstruction
Payment Request

PTS JOB #20-756
Payment Request: \$663,593.50
Date: 9/27/2020

Line Item	Bid Item #	Description	Units	Qty	Scheduled		Amount	Previous Request Qty	Previous Request Amount	This Request Qty	This Request Amount	%	Completed Qty	Completed to Date Amount	Balance to Finish Amount	Qty
					Unit Price	Amount										

Base Bid - Road Work - Grand Avenue																	
1	201.012	Clearing	ID	48.00	\$	41.00	\$	1,968.00			\$	-			\$	1,968.00	48.00
2	201.022	Grubbing	ID	48.00	\$	28.00	\$	1,344.00			\$	-			\$	1,344.00	48.00
3	204.015	Removing Curb & Gutter	LF	4,355.00	\$	1.60	\$	6,968.00			\$	-			\$	6,968.00	4,355.00
4	204.0155	Removing Concrete Sidewalk	SY	1,565.00	\$	3.15	\$	4,929.75			\$	-			\$	4,929.75	1,565.00
5	204.01	Removing Pavement - Concrete	SY	1,115.00	\$	4.70	\$	5,240.50			\$	-			\$	5,240.50	1,115.00
6	205.01	Excavation Common	CY	3,300.00	\$	10.75	\$	35,475.00			\$	-			\$	35,475.00	3,300.00
7	205.01	Excavation Common - EBS - Undistributed	CY	425.00	\$	15.40	\$	6,545.00			\$	-			\$	6,545.00	425.00
8	305.012	Base Aggregate Dense 1 1/4-inch	TON	5,300.00	\$	16.65	\$	88,245.00			\$	-			\$	88,245.00	5,300.00
9	311.011	Breaker Run - Undistributed	TON	890.00	\$	14.55	\$	12,949.50			\$	-			\$	12,949.50	890.00
10	416.017	Concrete Driveway 7-inch	SY	1,115.00	\$	49.50	\$	55,192.50			\$	-			\$	55,192.50	1,115.00
11	460.5223	HMA Pavement 3 LT 58-28 S (Binder)	TON	865.00	\$	78.30	\$	67,729.50			\$	-			\$	67,729.50	865.00
12	460.5225	HMA Pavement 5 LT 58-28 S (Surface)	TON	675.00	\$	79.25	\$	53,493.75			\$	-			\$	53,493.75	675.00
13	465.012	Asphaltic Surface Driveways and Field Entrances	TON	50.00	\$	140.00	\$	7,000.00			\$	-			\$	7,000.00	50.00
14	601.0411	Concrete Curb & Gutter 30-inch	LF	4,355.00	\$	14.20	\$	61,841.00			\$	-			\$	61,841.00	4,355.00
15	602.041	Concrete Sidewalk 5-inch	SF	14,060.00	\$	4.35	\$	61,161.00			\$	-			\$	61,161.00	14,060.00
16	602.0505	Curb Ramp Detachable Warning Field Yellow	SF	20.00	\$	30.50	\$	610.00			\$	-			\$	610.00	20.00
17	602.15	Concrete Steps	SF	110.00	\$	86.50	\$	9,515.00			\$	-			\$	9,515.00	110.00
18	625.01	Topsoil	SY	3,500.00	\$	6.30	\$	22,050.00			\$	-			\$	22,050.00	3,500.00
19	627.02	Mulching	SY	3,500.00	\$	0.30	\$	1,050.00			\$	-			\$	1,050.00	3,500.00
20	628.7015	Inlet Protection Type C	EA	12.00	\$	51.00	\$	612.00			\$	-			\$	612.00	12.00
21	629.021	Fertilizer Type B	CWT	2.00	\$	66.00	\$	132.00			\$	-			\$	132.00	2.00
22	630.014	Seeding Mixture No. 40	LB	140.00	\$	9.10	\$	1,274.00			\$	-			\$	1,274.00	140.00
23	638.2101	Moving Signs Type I	EA	2.00	\$	155.00	\$	310.00			\$	-			\$	310.00	2.00
24	643.5	Traffic Control	EA	1.00	\$	21,350.00	\$	21,350.00			\$	-	0.35	\$	7,472.50	13,877.50	0.65

PTS Contractors, Inc.
 4075 Eaton Road - Green Bay, WI 54311
 Phone#: (920) 468-5217-Fax#: (920) 468-4087

PTS JOB #20-756

Grand Avenue & Spring Street Reconstruction
 Payment Request: \$563,593.50
 Date: 9/2/2020

Line Item	Bid Item #	Description	Units	Qty	Scheduled Unit Price	Amount	Previous Request Qty	Previous Request Amount	This Request Qty	This Request Amount	%	Completed to Date Qty	Completed to Date Amount	Balance to Finish Amount	Balance to Finish Qty
25	646.742	Marking Crosswalk Epoxy Transverse Line 6-Inch (White)	LF	275.00	\$ 11.20	\$ 3,080.00								\$ 3,080.00	275.00
26	646.612	Marking Stop Line Epoxy 18-Inch (White)	LF	75.00	\$ 15.25	\$ 1,143.75								\$ 1,143.75	75.00
27	646.8105	Marking Curb Paint	LF	250.00	\$ 7.10	\$ 1,775.00								\$ 1,775.00	250.00
28	646.1005	Marking Line Paint 4-Inch (Yellow)	LF	105.00	\$ 7.10	\$ 745.50								\$ 745.50	105.00
29	646.1005	Marking Line Paint 4-Inch (White)	LF	16.00	\$ 7.10	\$ 113.60								\$ 113.60	16.00
30	690.015	Sawcut Asphalt	LF	360.00	\$ 1.55	\$ 558.00								\$ 558.00	360.00
31	690.025	Sawcut Concrete	LF	540.00	\$ 2.05	\$ 1,107.00								\$ 1,107.00	540.00
32	SPV.0170	Test Railing Special	STA	19.00	\$ 25.00	\$ 475.00								\$ 475.00	19.00
33	SPV.7000	Geogrid Reinforcement Special-Underscribed	SY	3,200.00	\$ 3.25	\$ 10,400.00								\$ 10,400.00	3,200.00

Base Bid - Water Main - Grand Avenue

34	SPV.1000	Hydrant Special	EA	3.00	\$ 4,035.00	\$ 12,105.00			5.00	\$ 20,175.00	167%	5.00	\$ 20,175.00	\$ (8,070.00)	(2.00)
35	SPV.1001	PVC Hydrant Lead 6-Inch Special	LF	25.00	\$ 80.00	\$ 2,000.00			82.00	\$ 6,560.00	328%	82.00	\$ 6,560.00	\$ (4,560.00)	(57.00)
36	SPV.1106	Gate Valve & Valve Box 6-Inch Special	EA	3.00	\$ 1,170.00	\$ 3,510.00			5.00	\$ 5,850.00	167%	5.00	\$ 5,850.00	\$ (2,340.00)	(2.00)
37	SPV.1108	Gate Valve & Valve Box 8-Inch Special	EA	8.00	\$ 1,645.00	\$ 13,160.00			9.00	\$ 14,805.00	113%	9.00	\$ 14,805.00	\$ (1,645.00)	(1.00)
38	SPV.1112	Gate Valve & Valve Box 12-Inch Special	EA	1.00	\$ 2,820.00	\$ 2,820.00			2.00	\$ 5,640.00	200%	2.00	\$ 5,640.00	\$ (2,820.00)	(1.00)
39	SPV.1405	Water Service HDPE Lateral 1-Inch Special	LF	820.00	\$ 90.00	\$ 73,800.00			411.00	\$ 36,990.00	50%	411.00	\$ 36,990.00	\$ 36,810.00	409.00
40	SPV.1500	Watermain Insulation Special	LF	300.00	\$ 5.50	\$ 1,650.00								\$ 1,650.00	300.00
41	SPV.1506	PVC Water Main 6-Inch (Granular Backfill) Special	LF	4.00	\$ 350.00	\$ 1,400.00			4.00	\$ 1,400.00	100%	4.00	\$ 1,400.00	\$ -	-
42	SPV.1508	PVC Water Main 8-Inch (Granular Backfill) Special	LF	1,980.00	\$ 73.00	\$ 143,080.00	483.00	\$ 35,259.00	1,870.00	\$ 136,510.00	120%	2,353.00	\$ 171,769.00	\$ (28,689.00)	(393.00)
43	SPV.1512	PVC Water Main 12-Inch (Granular Backfill) Special	LF	75.00	\$ 108.00	\$ 8,100.00			46.00	\$ 4,968.00	61%	46.00	\$ 4,968.00	\$ 3,132.00	29.00
44	SPV.9005	Remove Hydrant Special	EA	3.00	\$ 348.00	\$ 1,044.00								\$ 1,044.00	3.00

PTS Contractors, Inc.
4075 Eaton Road - Green Bay, WI 54311
Phone#: (920) 488-5217 Fax#: (920) 488-4087

Grand Avenue & Spring Street Reconstruction
Payment Request

PTS JOB #20-756
Payment Request: \$563,593.50
Date: 9/21/2020 2

Line Item	Bid Item #	Description	Units	Qty	Scheduled Unit Price	Amount	Previous Request Qty	Previous Request Amount	This Request Qty	This Request Amount	%	Completed to Date Qty	Completed to Date Amount	Balance to Finish Amount	Qty
Base Bid - Sanitary Sewer - Grand Avenue															
45	611.911	Adjust Manhole - Sanitary	EA	1.00	\$ 555.00	\$ 555.00		\$ -		\$ -			\$ -	\$ 555.00	1.00
46	SPV.3008	PVC Sanitary Sewer 8-inch (Granular Backfill) Special	LF	1,145.00	\$ 87.00	\$ 99,615.00	1,277.00	\$ 111,099.00	523.00	\$ 45,501.00	157%	1,800.00	\$ 156,600.00	\$ (56,985.00)	(655.00)
46A	SPV.3305	PVC Sanitary Sewer 6-inch Lateral SDR-35 (Granular Backfill) Special	LF	875.00	\$ 85.00	\$ 82,875.00		\$ -	434.00	\$ 36,890.00	45%	434.00	\$ 36,890.00	\$ 45,985.00	541.00
47	SPV.3504	Sanitary Sewer Manhole 4-FT Special	EA	6.00	\$ 1,785.00	\$ 10,710.00	4.00	\$ 7,140.00	2.00	\$ 3,570.00	100%	6.00	\$ 10,710.00	\$ -	-
48	SPV.3800	Sanitary Manhole Frame and Cover Special	EA	7.00	\$ 605.00	\$ 4,235.00		\$ -		\$ -			\$ -	\$ 4,235.00	7.00
49	SPV.3804	Sanitary Manhole Internal Seal Special	EA	7.00	\$ 390.00	\$ 2,730.00		\$ -		\$ -			\$ -	\$ 2,730.00	7.00
50	SPV.3819	Sanitary Sewer Relining 8-inch CIPP Special	LF	785.00	\$ 36.15	\$ 28,377.75		\$ -		\$ -			\$ -	\$ 28,377.75	785.00
51	SPV.9900	Sanitary Sewer Televsioning	LF	1,930.00	\$ 1.70	\$ 3,281.00		\$ -		\$ -			\$ -	\$ 3,281.00	1,930.00
Base Bid - Storm Sewer - Grand Avenue															
52	608.043	Storm Sewer Pipe Reinforced Concrete Class IV 30-inch	LF	55.00	\$ 158.00	\$ 8,690.00	88.00	\$ 13,904.00		\$ -	160%	88.00	\$ 13,904.00	\$ (5,214.00)	(33.00)
53	611.123	Catch Basin 2x3-FT	EA	13.00	\$ 1,115.00	\$ 14,495.00	4.00	\$ 4,460.00		\$ -	31%	4.00	\$ 4,460.00	\$ 10,035.00	9.00
54	611.2004	Manholes 4-FT Diameter	EA	4.00	\$ 1,195.00	\$ 4,780.00		\$ -		\$ -			\$ -	\$ 4,780.00	4.00
55	611.2005	Manholes 5-FT Diameter	EA	3.00	\$ 2,805.00	\$ 8,415.00	4.00	\$ 11,220.00		\$ -	133%	4.00	\$ 11,220.00	\$ (2,805.00)	(1.00)
56	SPV.4112	PVC Storm Sewer 12-Inch (Granular Backfill) Special	LF	1,050.00	\$ 58.00	\$ 60,900.00	356.00	\$ 20,648.00		\$ -	34%	356.00	\$ 20,648.00	\$ 40,252.00	694.00
57	SPV.9000	Inlet Cover, R-3067-V Special	EA	13.00	\$ 739.00	\$ 9,607.00		\$ -		\$ -			\$ -	\$ 9,607.00	13.00
58	SPV.9001	Storm Manhole Frame and Cover Special	EA	7.00	\$ 570.00	\$ 3,990.00		\$ -		\$ -			\$ -	\$ 3,990.00	7.00

Item #	Description	Units	Qty	Unit Price	Amount	Scheduled		Previous Request Totals		This Request Totals		Total Completed		Payment Request		Balance to Finish
						Unit Price	Amount	Qty	Amount	Qty	Amount	%	Qty	Amount to Date	Amount	

AL1 - Roadwork - Spring St (1st St to Western Ave)																
Item #	Description	Units	Qty	Unit Price	Amount	Previous Request Qty	Previous Request Amount	This Request Qty	This Request Amount	%	Qty	Amount to Date	Amount	Balance to Finish	Qty	
59	204.015 Removing Curb & Gutter	LF	3,185.00	\$ 1.60	\$ 5,096.00		\$ -	\$ -	\$ -			\$ -	\$ 5,096.00	\$ 3,185.00		
60	204.01 Removing Pavement - Concrete	SY	385.00	\$ 4.70	\$ 1,809.50		\$ -	\$ -	\$ -			\$ -	\$ 1,809.50	\$ 385.00		
61	205.01 Excavation Common	CY	2,810.00	\$ 10.75	\$ 30,207.50		\$ -	\$ -	\$ -			\$ -	\$ 30,207.50	\$ 2,810.00		
62	205.01 Excavation Common - EBS - Undistributed	CY	380.00	\$ 15.40	\$ 5,544.00		\$ -	\$ -	\$ -			\$ -	\$ 5,544.00	\$ 380.00		
63	305.012 Base Aggregate Dense 1 1/4-Inch	TON	3,550.00	\$ 16.65	\$ 59,107.50		\$ -	\$ -	\$ -			\$ -	\$ 59,107.50	\$ 3,550.00		
64	311.011 Breaker Run - Undistributed	TON	745.00	\$ 14.55	\$ 10,839.75		\$ -	\$ -	\$ -			\$ -	\$ 10,839.75	\$ 745.00		
65	416.017 Concrete Driveway 7-Inch	SY	400.00	\$ 49.50	\$ 19,800.00		\$ -	\$ -	\$ -			\$ -	\$ 19,800.00	\$ 400.00		
66	460.5223 HMA Pavement 3 LT 58-28 S (Binder)	TON	725.00	\$ 74.95	\$ 54,338.75		\$ -	\$ -	\$ -			\$ -	\$ 54,338.75	\$ 725.00		
67	460.5225 HMA Pavement 5 LT 58-28 S (Surface)	TON	565.00	\$ 76.80	\$ 43,392.00		\$ -	\$ -	\$ -			\$ -	\$ 43,392.00	\$ 565.00		
68	465.012 Asphaltic Surface Driveways and Field Entrances	TON	10.00	\$ 165.00	\$ 1,650.00		\$ -	\$ -	\$ -			\$ -	\$ 1,650.00	\$ 10.00		
69	601.0407 Concrete Curb & Gutter 18-Inch	LF	465.00	\$ 13.25	\$ 6,161.25		\$ -	\$ -	\$ -			\$ -	\$ 6,161.25	\$ 465.00		
70	601.0411 Concrete Curb & Gutter 30-Inch	LF	1,665.00	\$ 14.20	\$ 23,643.00		\$ -	\$ -	\$ -			\$ -	\$ 23,643.00	\$ 1,665.00		
71	602.041 Concrete Sidewalk 5-Inch	SF	2,025.00	\$ 4.55	\$ 9,213.75		\$ -	\$ -	\$ -			\$ -	\$ 9,213.75	\$ 2,025.00		
72	625.01 Topsoil	SY	1,050.00	\$ 6.30	\$ 6,615.00		\$ -	\$ -	\$ -			\$ -	\$ 6,615.00	\$ 1,050.00		
73	627.02 Mulching	SY	1,050.00	\$ 0.30	\$ 315.00		\$ -	\$ -	\$ -			\$ -	\$ 315.00	\$ 1,050.00		
74	628.7015 Inlet Protection Type C	EA	6.00	\$ 51.00	\$ 306.00		\$ -	\$ -	\$ -			\$ -	\$ 306.00	\$ 6.00		
75	629.021 Fertilizer Type B	CWT	1.00	\$ 71.00	\$ 71.00		\$ -	\$ -	\$ -			\$ -	\$ 71.00	\$ 1.00		
76	630.014 Seeding Mixture No. 40	LB	50.00	\$ 9.25	\$ 462.50		\$ -	\$ -	\$ -			\$ -	\$ 462.50	\$ 50.00		
77	643.5 Traffic Control	EA	1.00	\$ 2,545.00	\$ 2,545.00		\$ -	\$ -	\$ -			\$ -	\$ 2,545.00	\$ 1.00		
78	646.742 Marking Crosswalk Epoxy Transverse Line 6-Inch (White)	LF	75.00	\$ 11.20	\$ 840.00		\$ -	\$ -	\$ -			\$ -	\$ 840.00	\$ 75.00		
79	646.612 Marking Stop Line Epoxy 18-Inch (White)	LF	45.00	\$ 15.25	\$ 686.25		\$ -	\$ -	\$ -			\$ -	\$ 686.25	\$ 45.00		
80	690.015 Sawcut Asphalt	LF	320.00	\$ 1.55	\$ 496.00		\$ -	\$ -	\$ -			\$ -	\$ 496.00	\$ 320.00		
81	690.025 Sawcut Concrete	LF	320.00	\$ 2.05	\$ 656.00		\$ -	\$ -	\$ -			\$ -	\$ 656.00	\$ 320.00		
82	SPV.0170 Test Rating Special	STA	15.00	\$ 25.00	\$ 375.00		\$ -	\$ -	\$ -			\$ -	\$ 375.00	\$ 15.00		
83	SPV.7000 Geogrid Reinforcement Special- Undistributed	SY	2,660.00	\$ 3.20	\$ 8,512.00		\$ -	\$ -	\$ -			\$ -	\$ 8,512.00	\$ 2,660.00		

PTS Contractors, Inc.
 4075 Eaton Road - Green Bay, WI 54311
 Phone# (920) 468-5217-Fax# (920) 468-4087

Grand Avenue & Spring Street Reconstruction
 Payment Request

PTS JOB #20-756
 Payment Request: \$563,593.50
 Date: 9/2/2020

Total Completed 30%
 Completed to Date \$563,593.50
 Balance to Finish \$1,326,451.10

Line Item	Bid	Description	Units	Qty	Scheduled Unit Price	Amount	Previous Request Qty	Previous Request Amount	This Request Qty	This Request Amount	%	Completed to Date Qty	Completed to Date Amount	Balance to Finish Amount	Qty
ALT 1 - Watermain - Spring St (1st St to Western Ave)															
84	SPV,1000	Hydrant Special	EA	5.00	\$ 4,030.00	\$ 20,150.00		\$ -		\$ -			\$ -	\$ 20,150.00	5.00
85	SPV,1001	PVC Hydrant Lead 6-inch Special	LF	135.00	\$ 93.00	\$ 12,555.00		\$ -		\$ -			\$ -	\$ 12,555.00	135.00
86	SPV,1106	Gate Valve & Valve Box 6-inch Special	EA	6.00	\$ 1,170.00	\$ 7,020.00		\$ -		\$ -			\$ -	\$ 7,020.00	6.00
87	SPV,1108	Gate Valve & Valve Box 8-inch Special	EA	8.00	\$ 1,645.00	\$ 13,160.00		\$ -		\$ -			\$ -	\$ 13,160.00	8.00
88	SPV,1112	Gate Valve & Valve Box 12-inch Special	EA	4.00	\$ 2,820.00	\$ 11,280.00		\$ -		\$ -			\$ -	\$ 11,280.00	4.00
89	SPV,1405	1" HDPE Water Service	LF	370.00	\$ 95.00	\$ 35,150.00		\$ -		\$ -			\$ -	\$ 35,150.00	370.00
90	SPV,1506	PVC Water Main 6-inch (Granular Backfill) Special	LF	25.00	\$ 175.00	\$ 4,375.00		\$ -		\$ -			\$ -	\$ 4,375.00	25.00
91	SPV,1508	PVC Water Main 8-inch (Granular Backfill) Special	LF	1,525.00	\$ 71.00	\$ 108,275.00		\$ -		\$ -			\$ -	\$ 108,275.00	1,525.00
92	SPV,1512	PVC Water Main 12-inch (Granular Backfill) Special	LF	45.00	\$ 167.00	\$ 7,515.00		\$ -		\$ -			\$ -	\$ 7,515.00	45.00
93	SPV,9005	Remove Hydrant	EA	2.00	\$ 405.00	\$ 810.00		\$ -		\$ -			\$ -	\$ 810.00	2.00

Alt 1 - Sanitary Sewer Work Spring St (1st St to Western Ave)															
94	SPV,3008	PVC Sanitary Sewer 8-inch (Granular Backfill) Special	LF	945.00	\$ 86.00	\$ 81,270.00		\$ -	347.00	\$ 29,842.00	37%	347.00	\$ 29,842.00	\$ 51,428.00	598.00
94A	SPV,3305	PVC Sanitary Sewer 6" Lateral SDR-35 (Granular Backfill) Special	LF	532.00	\$ 86.00	\$ 45,752.00		\$ -		\$ -			\$ -	\$ 45,752.00	532.00
95	SPV,3504	Sanitary Sewer Manhole 4-FT Special	EA	6.00	\$ 1,845.00	\$ 11,070.00		\$ -	2.00	\$ 3,690.00	33%	2.00	\$ 3,690.00	\$ 7,380.00	4.00
96	SPV,3800	Sanitary Manhole Frame and Cover Special	EA	6.00	\$ 605.00	\$ 3,630.00		\$ -		\$ -			\$ -	\$ 3,630.00	6.00
97	SPV,3804	Sanitary Manhole Internal Seal Special	EA	6.00	\$ 390.00	\$ 2,340.00		\$ -		\$ -			\$ -	\$ 2,340.00	6.00
98	SPV,3819	Sanitary Sewer Retaining 8-inch CIPP Special	LF	265.00	\$ 36.15	\$ 9,579.75		\$ -		\$ -			\$ -	\$ 9,579.75	265.00
99	SPV,9900	Sanitary Sewer Televising	LF	1,210.00	\$ 1.70	\$ 2,057.00		\$ -		\$ -			\$ -	\$ 2,057.00	1,210.00

ALT 1 - Storm Sewer Work Spring St (1st St to Western Ave)															
100	611,123	Catch Basin 2x3-FT	EA	7.00	\$ 1,115.00	\$ 7,805.00		\$ -		\$ -			\$ -	\$ 7,805.00	7.00
101	611,2004	Manholes 4-FT Diameter	EA	4.00	\$ 1,195.00	\$ 4,780.00		\$ -		\$ -			\$ -	\$ 4,780.00	4.00
102	SPV,4112	PVC Storm Sewer 12-inch (Granular Backfill)	LF	860.00	\$ 57.00	\$ 49,020.00		\$ -		\$ -			\$ -	\$ 49,020.00	860.00
103	SPV,9000	Inlet Cover, R-3067-V Special	EA	7.00	\$ 740.00	\$ 5,180.00		\$ -		\$ -			\$ -	\$ 5,180.00	7.00
104	SPV,9001	Storm Manhole Frame and Cover Special	EA	4.00	\$ 570.00	\$ 2,280.00		\$ -		\$ -			\$ -	\$ 2,280.00	4.00
		Granular Credit per LF	LF		\$ (18.50)				5,921.00	\$ (109,538.50)		5,921.00	\$ (109,538.50)		
		Imported Backfill	CY							\$ -			\$ -		
TOTALS						\$ 1,890,044.60		\$ 203,730.00		\$ 359,863.50	30%		\$ 563,593.50	\$ 1,326,451.10	

9/18/2020 9:36 AM

In Progress Checks - Full Report - ALL

Page: 1

ALL Checks by Payee
POOLED CHECKING (COLLINS)

ACCT

Dated From:

From Account:

Thru: 9/22/2020

Thru Account:

Voucher Nbr	Check Date	Payee	Amount
9/22/2020 Advanced Disposal Services			
Account #: B1011571			
100-00-53620-390-000		GARBAGE-CONTRACT Residential Co-collect trash (004) 490977	5,564.79
100-00-53620-390-001		RECYCLING-CONTRACT Residential Co-collect recycling (005) 490977	1,892.16
			Total 7,456.95
9/22/2020 Archer Mat Rental & Sales LLC			
8/18/2020			
100-00-51600-230-000		VILLAGE HALL - S.M.R.E 8/18/2020 30742	21.83
100-00-51600-230-000		VILLAGE HALL - S.M.R.E 9/15/2020 30953	21.83
			Total 43.66
9/22/2020 BMO Harris Bank N.A. - Payments			
Acct. #: 5112770000017048			
100-00-51422-390-000		TECHNOLOGY - S, M, R, E G-SUITE	156.00
100-00-51440-390-000		ELECTION EXPENSES LUNCH & DINNER FOR ELECTION WORKERS	89.25
100-00-51101-390-000		VILLAGE BOARD-MILEAGE/EXPENSES GO TO MEETING	14.77
100-00-55220-230-000		LAKEVIEW PARK-S,M,R,E CLEANING SUPPLIES	62.42
100-00-51420-390-000		CLERKS OFFICE-SUPPLIES/EXP COPY PAPER	20.57
600-00-51421-390-000		C/T - supplies, expenses COPY PAPER	20.56
660-00-51421-390-000		OFFICE SUPPLIES/EXP COPY PAPER	20.56
100-00-51440-310-000		ELECTION SUPPLIES ALPHABET DIVIDERS	20.10
660-00-54600-390-000		WWTP - S,M,R,E BATTERIES	159.12
			Total 563.35

9/18/2020 9:36 AM

In Progress Checks - Full Report - ALL

Page: 2

ALL Checks by Payee
POOLED CHECKING (COLLINS)

ACCT

Dated From:

From Account:

Thru: 9/22/2020

Thru Account:

Voucher Nbr	Check Date	Payee	Amount
9/22/2020 Cardinal Environmental Inc. Client: 00493			
600-00-54610-397-000		TEST LAB-OUTSIDE SERVICES Anaylsis of water AUGUST 2020, 00493.001 49508	150.00
660-00-54610-397-000		TEST LAB-OUTSIDE SERVICES Analysis AUGUST 2020, 00493.002 49508	54.00
Total			204.00
9/22/2020 De Troye Electric Inc CHARGED REFRIGERATION IN WWTP			
660-00-54600-390-000		WWTP - S,M,R,E CHARGED REFRIGERATION IN WWTP 49969	175.43
Total			175.43
9/22/2020 E-CONOLIGHT LED LIT SURFACE MOUNT			
100-00-55220-230-000		LAKEVIEW PARK-S,M,R,E LED LIT SURFACE MOUNT 1187463	253.94
Total			253.94
9/22/2020 Hawkins Inc. 109971			
600-00-54900-390-000		WELL HOUSE-SUPPLIES/EXP AZONE 15, HWTG BLEACH & ALKALI 4792337	2,872.95
Total			2,872.95
9/22/2020 Honold & La Page Inc. Customer ID: 11393			
100-00-55220-230-000		LAKEVIEW PARK-S,M,R,E SOLENOID SHAFT ASSEMBLY 1903575950	106.50
Total			106.50
9/22/2020 Horst Distributing Inc. HOSE			
100-00-53240-350-000		EQUIPMENT-S,M,R,E HOSE 86649-000	80.27
Total			80.27
9/22/2020 Lenz Electric Motor Repair LLC lift station pump rebuild			

9/18/2020 9:36 AM

In Progress Checks - Full Report - ALL

Page: 3

ALL Checks by Payee
POOLED CHECKING (COLLINS)

ACCT

Dated From: From Account:
Thru: 9/22/2020 Thru Account:

Voucher Nbr	Check Date	Payee	Amount
600-00-54660-230-000		WATER TOWER-S,M,R,E	33.00
		lift station pump rebuild	24075
600-00-54660-230-000		WATER TOWER-S,M,R,E	258.15
		lift station pump rebuild	24076
Total			291.15

9/22/2020 McClone Agency

Account #: RANDO-4

100-00-51931-000-000		WORKERS COMP	2,317.56
		Workers Comp 4 of 4	2093
100-00-51930-510-000		INSURANCE-LIABILITY/PROP	1,946.00
		Liability 4 of 4	2093
600-00-51540-390-000		INSURANCE-LIABILITY/PROPERTY	417.00
		Liability 4 of 4	2093
660-00-51540-390-000		INSURANCE-LIABILITY/PROPERTY	417.00
		Liability 4 of 4	2093
600-00-51931-390-000		INSURANCE-WORKERS COMP	1,332.22
		Workers Comp 4 of 4	2093
660-00-51931-390-000		INSURANCE-WORKERS COMP	1,332.22
		Workers Comp 4 of 4	2093
100-00-51930-520-000		INSURANCE-VEHICLE	4,090.48
		Auto 4 of 4	2093
600-00-51931-520-000		INSURANCE-VEHICLE	305.76
		Auto 4 of 4	2093
660-00-51931-520-000		INSURANCE-VEHICLE	305.76
		Auto 4 of 4	2093
Total			12,464.00

9/22/2020 Mueller's Sales & Service Inc.

STIHL FS 90R

100-00-53240-350-000		EQUIPMENT-S,M,R,E	97.59
		carb & labor	20200722
Total			97.59

9/22/2020 PTS Contractors Inc

PAYMENT #2 FOR GRAND AVE. & SPRING ST.

100-00-57300-000-000		STREETS	341,870.32
		PAYMENT #2 FOR GRAND AVE. & SPRING ST.	

9/18/2020 9:36 AM

In Progress Checks - Full Report - ALL

Page: 4

ALL Checks by Payee
POOLED CHECKING (COLLINS)

ACCT

Dated From:

From Account:

Thru: 9/22/2020

Thru Account:

Voucher Nbr	Check Date	Payee	Amount
Total			341,870.32

9/22/2020 RANDOM LAKE, VILLAGE OF - WATER DEPARTMENT

000-0010-00

100-00-53230-222-000		SEWER/WATER-SHOP	244.58
	000-0010-00	SEPTEMBER 2020	
100-00-55210-222-000		KIRCHER PARK-SEWER/WATER	99.79
	000-1380-00	SEPTEMBER 2020	
100-00-55211-222-000		BERTRAM PARK-SEWER/WATER	75.72
	000-4425-00	SEPTEMBER 2020	
100-00-51600-222-000		WATER/SEWER-VILLAGE HALL	203.47
	000-2560-00	SEPTEMBER 2020	
100-00-55220-222-000		LAKEVIEW PARK-SEWER/WATER	595.07
	000-2310-00	SEPTEMBER 2020	
660-00-54600-222-000		WWTP - SEWER/WATER	5,076.38
	000-0020-00	SEPTEMBER 2020	
Total			6,295.01

9/22/2020 RUEGE, CHARLES OR BARBARA

Replace broken mailbox from snow plowing

100-00-53300-350-000		SNOW REMOVAL/SALT	75.97
		Replace broken mailbox from snow plowing	
Total			75.97

9/22/2020 Sheboygan County Treasurer

Customer #: 60028

600-00-54660-230-000		WATER TOWER-S,M,R,E	327.99
		RETENTION BLANKET STAPLE, EROSION MATTIN 112577	
Total			327.99

9/22/2020 Sherwin Industries, Inc.

PAINT

100-00-53300-230-000		STREET/STREET SIGN MAINT	252.00
		PAINT SS085866	
Total			252.00

Grand Total 373,431.08

9/18/2020 9:36 AM

In Progress Checks - Full Report - ALL

Page: 5

ALL Checks by Payee

ACCT

POOLED CHECKING (COLLINS)

Dated From:

From Account:

Thru: 9/22/2020

Thru Account:

Amount

Total Expenditure from Fund # 100 - GENERAL FUND	360,172.98
Total Expenditure from Fund # 600 - WATER FUND	5,717.63
Total Expenditure from Fund # 660 - WASTEWATER FUND	7,540.47
Total Expenditure from all Funds	373,431.08

Total Wages
All Employees

PAYRL

Check Date From: 8/18/2020
Thru: 9/21/2020

From Dept: 100 GENERAL
Thru Dept: 400 ELECTED OFF

Pay Category	Wages	% Of Total
Clerk-Treasurer	3,361.84	14.88 %
Director PW	1,584.62	7.01 %
ELECTION WORKER	686.00	3.03 %
Garage & Shop	3,029.76	13.40 %
Lakeview Park	3,291.75	14.56 %
Lawn Mowing	1,876.38	8.30 %
O/T LAKEVIEW PK	283.50	1.25 %
O/T STREETS	54.00	0.24 %
O/T WASTEWATER	189.00	0.84 %
O/T WATER	135.00	0.60 %
S-Clerk-Treasur	1,800.62	7.96 %
S-Director PW	1,584.62	7.01 %
S-Lift Stations	432.00	1.91 %
S-Sched. Maint.	94.68	0.42 %
Village Office	36.06	0.16 %
W-Clerk-Treasur	1,800.62	7.96 %
W-Director PW	1,584.60	7.01 %
W-Lab	612.00	2.71 %
W-Sched. Maint.	170.46	0.75 %
Totals:	22,607.51	100.00 %

9/18/2020 11:06 AM

Reprint Distribution Summary Report

Page: 1

Total Wages
All Employees

PAYRL

Check Date From: 8/18/2020
Thru: 9/21/2020

From Dept: 600 UTILITY
Thru Dept: 800 FIRE DEPT

Pay Category	Wages	% Of Total
Ambulance Wages	3,076.92	36.47 %
O/T LAKEVIEW PK	266.58	3.16 %
O/T WASTEWATER	288.80	3.42 %
O/T WATER	66.65	0.79 %
S-LAB	2,411.36	28.58 %
S-Sched. Maint.	1,748.76	20.72 %
W-Lab	579.07	6.86 %
	-----	-----
Totals:	8,438.14	100.00 %

8/18/2020

Village of Random Lake
P.O. Box 344
Random Lake, WI 53075-034
clerk@randomlakewi.com

It is our intent to provide you with complete information as to the activity conducted by our officers while on Village of Random Lake contract patrol duty. Our hope is that it will be informative and transparent for you.

The Village of Random Lake contracts with the Sheboygan County Sheriff's Office for 84 hours of service per month. During July 2020, 92 hours of contract were completed. 19 complaints were generated. Within those complaints; 10 written warnings, 6 Ordinance citations, 0 traffic citations, 1 misdemeanor arrests, 1 Felony arrest, 1 warrant arrest, 0 juvenile referral were made. The following is a summary of the complaints for **July 2020:**

<u>Date Time</u>	<u>Complaint # Nature of Call</u>	<u>Location</u>	<u>Result</u>
<u>07/03/20</u> <u>1555</u>	S20-08864 Ordinance	Russell Dr	2 no parking ordinance citations issued.
<u>07/03/20</u> <u>1640</u>	S20-08866 Ordinance	Riverview Park	Parking cite issued. Parking on sidewalk.
<u>07/06/20</u> <u>0345</u>	S20-08999 Open door	Pro-Health Chiropractic 319 Carroll St	Open door located. Business cleared, nothing suspicious noted.
<u>07/06/20</u> <u>1815</u>	S20-09041 Open door	Ram Child Care 605A RL Road	Front door found unlocked. Keyholder responded and secured the door.
<u>07/07/20</u> <u>1455</u>	S20-07356 Building Check	Butler & Hickory	Report of parking violation. No violation noted.
<u>07/08/20</u> <u>1440</u>	S20-09120 Ordinance	Butler & Hickory	Vehicle owner contacted about violation. No law enforcement action taken.
<u>07/10/20</u> <u>0645-0715</u>	S20- 09196,9197,9198	Village at large	3 ordinance citations issued for junked vehicles.
<u>07/11/20</u> <u>0335</u>	S20-09265 Public service	617 Spring Ct	Open garage door found. Crime prevention letter left at the residence.
<u>07/10/20</u> <u>1630</u>	S20-09233 Check welfare	112 Butler St	Vehicle reportedly parked in front of the Random Lake Library with occupant for past 24 hrs. No issues noted.
<u>07/10/20</u> <u>1935</u>	S20-09244 Traffic Stop	1 st St at Spring St	Warning for fail to display registration.
<u>07/14/20</u> <u>2030</u>	S20-09457 DNR	Random Lake	Warning for operate without required light.
<u>07/15/20</u> <u>0425</u>	S20-09472 Crime prevention	235 Christines Way	Open garage door. Crime prevention letter left at the residence.
<u>07/15/20</u> <u>1718-1748</u>	S20- 09513,9514,9515	Village at large	3 traffic stops resulting in warnings for Operate without required lamps (low visibility)

<u>07/16/20</u> <u>1930</u>	S20-09571 Suspicious	Okray Insurance	Pry marks located on secured door. Attempted contact with business made. Follow up contact to be made.
<u>07/17/20</u> <u>1845</u>	S20-09633 Wanted Juvenile	Wolf Rd at RL Road	Wanted juvenile located in the village on charges of Flee/Elude, felony theft and obstructing officer.
<u>07/18/20</u> <u>1825</u>	S20-09684 Open door	RL Municipal garage.	No issues noted.
<u>07/19/20</u> <u>1705</u>	S20-09736 Traffic stop	First St at Butler St	Warning for speed.
<u>07/24/20</u> <u>0035</u>	S20-09967 Business check	EVS	Open door. No issues noted.
<u>06-20-20</u> <u>0015</u>	S20-08151 Ordinance	Lakeview Park	Boat launch violation noted. Ordinance citation issued.
<u>07/24/20</u> <u>1840</u>	S20-10016 Open door	RL Waste water	Open door located. Secured without incident.
<u>07/27/20</u> <u>1810</u>	S20-10165 DNR	Random Lake	Jet Ski warned for SNW violation.
<u>07/28/20</u> <u>0120</u>	S20-10184 Damage to property	Hickory Dr at Lake Breeze LN	Spray paint on stop sign and curb. Village notified. No suspects.

Please feel free to contact me with any questions or concerns you might have.

Sergeant Ryan Kelley
Sheboygan Sheriff's Office Patrol Division
Shift Commanders Desk (920) 459-3114
Ryan.Kelley@sheboygancounty.com



Professionalism • Respect • Integrity • Dedication / Employee Value

9/8/2020

Village of Random Lake
P.O. Box 344
Random Lake, WI 53075-034
clerk@randomlakewi.com

It is our intent to provide you with complete information as to the activity conducted by our officers while on Village of Random Lake contract patrol duty. Our hope is that it will be informative and transparent for you.

The Village of Random Lake contracts with the Sheboygan County Sheriff's Office for 84 hours of service per month. During August 2020, 91 hours of contract were completed. 24 complaints were generated. Within those complaints; 10 written warnings, 2 Ordinance citations, 0 traffic citations, 0 misdemeanor arrests, 0 Felony arrest, 0 warrant arrest, 0 juvenile referral were made. The following is a summary of the complaints for **August 2020**:

Date Time	Complaint # Nature of Call	Location	Result
<u>08/01/20</u> <u>0055</u>	S20-10448 Public Service	63 E Shore Dr	Crime prevention letter left at residence due to open garage door being located.
<u>08/01/20</u> <u>1920</u>	S20-10434 Ordinance	Lakeview Park	Parking cite issued. No launch permits.
<u>08/02/20</u> <u>2030</u>	S20-10479 Ordinance	Lakeview Park	Dispatched to an anonymous report of a fisherman fishing too close to the swimming area at Lakeview Park. Unable to locate.
<u>08/04/20</u> <u>0230</u>	S20-10548 Abandoned Vehicle	2 nd St at Allen St	Abandoned vehicle tagged.
<u>08/04/20</u> <u>0235</u>	S20-10549 Business Check	RL Schools	Open door located. Building secured.
<u>08/05/20</u> <u>2330</u>	S20-10644 Suspicious Vehicle	EVS	No issues noted.
<u>08/06/20</u> <u>2025</u>	S20-10707 Traffic Complaint	Casey's General Store	Unable to locate suspect vehicle.
<u>08/06/20</u> <u>2105</u>	S20-10710 Property Check	DPW	Open door located. Secured without incident.
<u>08/12/20</u> <u>1840</u>	S20-11022 Business Check	83 Benteret St	Building secured without incident.
<u>08/13/20</u> <u>0305</u>	S20-11046 Traffic Stop	Orth at STH 57	Warning for fail to stop at stop sign.
<u>08/13/20</u> <u>1455</u>	S20-11075 Traffic Stop	First St at Allen St	Warning for speeding and proof of insurance.
<u>08/15/20</u>	S20-09472	EVS	Open door located. All clear, building

<u>0440</u>	Business Check Crime prevention		secured.
<u>08/16/20 1635</u>	S20-11212 911 Hang Up	Lakeside Foods	Found to be a false 911 call. Faulty line.
<u>08/17/20 0320</u>	S20-11238 Business Check	RL Schools	Multiple doors found unsecure. All secured without incident.
<u>08/17/20 1620</u>	S20-11282 Ordinance	Lakeview Park	Ordinance cite issued for launch violation.
<u>08/17/20 2345</u>	S20-11304 Business Check	RL Schools.	Open door located and secured.
<u>08/20/20 0110</u>	S20-11435 Ordinance	Village at large	7 warnings for trailers in violation of parking ordinance.
<u>08/21/20 1620</u>	S20-11532 Harassment	96 Russell Dr	Horseplay on the water perceived as malicious. Deputy spoke to those involved and found all was well.
<u>08/24/20 0815</u>	S20-11699 Ordinance	Maple Ct	Warning for parking violation.
<u>08/24/20 1725</u>	S20-11747 Building Check	DPW	Open door located. Secured without incident.
<u>08/25/20 1810</u>	S20-11797 Business Check	300 Butler St	Building cleared and secured.
<u>08/27/20 1300</u>	S20-11879 Assist	724 Random Lake Rd Apt 2	Assisted DSS with investigation. No law enforcement action taken.

Please feel free to contact me with any questions or concerns you might have.

Sergeant Ryan Kelley
 Sheboygan Sheriff's Office Patrol Division
 Shift Commanders Desk (920) 459-3114
 Ryan.Kelley@sheboygancounty.com



Professionalism • Respect • Integrity • Dedication • Employee Value