



P.O. Box 344 • 96 Russell Drive • Random Lake, WI 53075  
 Phone: (920) 994-4852 • Fax: (920) 994-2390

THIS APPLICATION IS FOR  
 PAVILION W/ 6 LEGS TRAPEZOIDAL  
 OR PLUMBING

## Building Permit Application

Job Location (Identify exact address) Robert Mc Dermott LAKE VIEW PARK		Date 3-15-23	Permit#
Owner's Name Village of R.L./A.L. Govt	Phone Number 920-9466004	Contact's Name (When Relevant) R.L. LIOS CL-4	Phone Number 920-9466004
Owners Address (if different from above)		City WIL	Zip Code
Contractor's Name NDUE	License Number	Contractor's Contact Name	Phone Number
License Number			
Contractor's Address		City	State WI
		State	Zip Code

It is the responsibility of the permit holder to arrange for appointment times when entry is available for the required inspections if the inspector cannot access the work site or if the work is not visible, a re-inspection fee will be charged.

Use of Building	Type of Work	Item	Size	Qty.	Fee	Amount
<input type="checkbox"/> Residential	<input checked="" type="checkbox"/> New	Residence (One & Two Family)			.30/sq. ft.	
<input type="checkbox"/> Multi-Family	<input type="checkbox"/> Addition	Residential Additions			.30/sq. ft.	
	<input type="checkbox"/> Alteration/Repair	Attached/Detached Garage			.25/sq. ft.	
		Plan Review: House & Garage			.12/sq. ft.	
		State Permit Seal (\$33.00 (State fee) + \$10.00)				\$43.00
		Occupancy Permit (House & Garage)			.05/sq. ft.	
		Remodeling (Includes Plan Review)			.20/sq. ft.	
		2020 Sewer Hook-up Fee				\$1744.00
		Erosion Control				\$150.00
		Decks & Porches			.20/sq. ft.	
		Storage Sheds				\$30.00
		Re-Roof				50.00
		Re-Siding				50.00
		Swimming Pools (above ground/in ground/spas)				80.00
		Fence				30.00
		PAVILION FOR PARKING AREA A 14' x 10'				
Required for exterior design, appearance and location		Architectural Review Board				\$5.00
Required for fences, accessory buildings, decks & porches, pools, etc.		Plan Commission Review				45.00
Required for new construction, additions, fences, pools, accessory buildings, etc.		Zoning Permit				45.00
		Expedited Meeting Fee (Nonrefundable)				100.00
		Re-inspection Fee				75.00
<b>NOTE:</b>						
Separate permits are needed for Electrical, HVAC, & Plumbing						
If any work is commenced before a building permit is obtained, all of the above fees shall be doubled.						
All calculations for square footage area are outside dimensions.						

I attest that the above information accurately describes the property and proposed work to be performed on it. I agree to comply with all Village of Random Lake and State of Wisconsin codes applicable to the occupancy and work stated above. I understand that any false misinformation may result in penalties prescribed in the Village of Random Lake ordinances.

**SUB TOTAL: \$40.00**

**BASE FEE (add to subtotal):**

<b>OFFICE USE ONLY</b>		Date:	Initials:	<b>Permit Total:</b>
Permit Paid By:				
Applicant Signature	Print Name	Date		



Drexel Building Supply, Inc. - Kiel  
 274 Cemetery Road  
 Kiel, WI 53042  
 Phone: 920-894-2424  
**CORE VALUE #10: ACCOUNTABILITY**  
**LIVE UP TO YOUR COMMITMENTS.**



**QUOTE**

2301-201207

PAGE 3 OF 3

SOLD TO
DLAPA CONSTRUCTION LLC SAMUEL DLAPA 720 CTY ROAD RR CEDAR GROVE WI 53013

JOB ADDRESS
26X24 BUILDING NO PAVILLION CEDAR GROVE WI 53013 920-946-7979

ACCOUNT	JOB
10823	0
CREATED ON	01/30/2023
EXPIRES ON	02/28/2023
BRANCH	KIEL
CUSTOMER PO#	
STATION	W099
CASHIER	CR
SALESPERSON	CR
ORDER ENTRY	CR
MODIFIED BY	

Item	Description	D	Quantity	U/M	Price	Per	Amount
STARSTEEL	STEEL STARTER 3-1/2inx10ft 25/BX		6	EA	6.9900	EA	41.94
CTSIDNC	RC VINYL SIDING NATURAL CLAY D4 12/SQ 24/BX (DARK COLOR)		36	PC	11.7900	PC	424.44
JNC	J-CHAN 3/4x1in NATURAL CLAY 12'6" 48/BOX		15	EA	9.4900	EA	142.35
C	-----CEDAR----- =====						
1816C	1x8-16ft CEDAR S1S2E		7	EA	51.0600	EA	357.42
C	-----ALLOWANCES----- =====						
SO10B	S.O. HARDWARE ALLOWANCE		1	EA	500.0000	EA	500.00
This is an estimate; prices vary based on market conditons. This is NOT a legally binding contract between parties. Customer is responsible for quantity, specifications, code requirements, pricing errors, and lead times. PLEASE EXAMINE CAREFULLY.					M03 5.00%	Subtotal	10,067.15
						Sales Tax	503.36
						<b>Total</b>	<b>10,570.51</b>

Buyer:

Signature



Drexel Building Supply, Inc. - Kiel  
 274 Cemetery Road  
 Kiel, WI 53042  
 Phone: 920-894-2424  
**CORE VALUE #10: ACCOUNTABILITY**  
**LIVE UP TO YOUR COMMITMENTS.**



**QUOTE**

2301-201207

PAGE 2 OF 3

SOLD TO
DLAPA CONSTRUCTION LLC SAMUEL DLAPA 720 CTY ROAD RR CEDAR GROVE WI 53013

JOB ADDRESS
26X24 BUILDING NO PAVILLION CEDAR GROVE WI 53013 920-946-7979

ACCOUNT	JOB
10823	0
CREATED ON	01/30/2023
EXPIRES ON	02/28/2023
BRANCH	KIEL
CUSTOMER PO#	
STATION	W099
CASHIER	CR
SALESPERSON	CR
ORDER ENTRY	CR
MODIFIED BY	

Item	Description	D	Quantity	U/M	Price	Per	Amount
GAPW	12', 25/CTN, 1171-001 AL GUTTER APRON - POLAR WHITE		6	EA	10.9800	EA	65.88
ICEC	10', 20/CTN, 1277-001 CT ICE&WATER 3ftx65ft 20/PL GRANULAR		2	RL	102.5300	RL	205.06
CTROOFRUN	CT ROOF RUNNER SYNTH UL, 10 SQ/RL, 4'X250' RL, 56 RL/PT		1	RL	116.7900	RL	116.79
STARCS	NEW CT STARTER 7-5/8" x 38-3/4" SWIFTSTART 116LF/BL		1	BD	63.7100	BD	63.71
LMHB	LMRK HTR BLEND SHNGL 3SQ 48/PL		34	BD	41.7900	BD	1,420.86
HRHBC	CT HIP&RIDGE H-BLEND ACC 30LF/BL		1	BD	69.9900	BD	69.99
COIL114E	1-1/4 GENERIC ROOF COIL UNIV 48PA		1	BX	57.8700	BX	57.87
OMNI30	OMNI ROLL VENT 30ft		1	EACH	104.8700	EACH	104.87
C	-----SOFFIT----- =====						
FC8SPW	AL SMOOTH FASCIA 8" -POLAR WHITE 12' 25/CTN, 1142-001		12	EA	27.6300	EA	331.56
FPW	AL F-CHANNEL - POLAR WHITE 12' 25/CTN, 1191-001		12	EA	17.1200	EA	205.44
SOFVPW	AL CV SOFFIT 16" - POLAR WHITE 12' 12/CTN, 1474-001		20	EA	30.9600	EA	619.20
20294	1-1/4" 9573 SS NAIL 1#POLAR WHT EDCO, 1 LB BOX		1	EA	12.9800	EA	12.98
C	-----SIDING----- =====						

This is an estimate; prices vary based on market conditions. This is NOT a legally binding contract between parties. Customer is responsible for quantity, specifications, code requirements, pricing errors, and lead times. PLEASE EXAMINE CAREFULLY.	Subtotal
	Sales Tax
	<b>Total</b>

Buyer:

Signature



Drexel Building Supply, Inc. - Kiel  
 274 Cemetery Road  
 Kiel, WI 53042  
 Phone: 920-894-2424  
**CORE VALUE #10: ACCOUNTABILITY**  
**LIVE UP TO YOUR COMMITMENTS.**



**QUOTE**

2301-201207

PAGE 1 OF 3

SOLD TO
DLAPA CONSTRUCTION LLC SAMUEL DLAPA 720 CTY ROAD RR CEDAR GROVE WI 53013

JOB ADDRESS
26X24 BUILDING NO PAVILLION CEDAR GROVE WI 53013 920-946-7979

ACCOUNT	JOB
10823	0
CREATED ON	01/30/2023
EXPIRES ON	02/28/2023
BRANCH	KIEL
CUSTOMER PO#	
STATION	W099
CASHIER	CR
SALESPERSON	CR
ORDER ENTRY	CR
MODIFIED BY	

Item	Description	D	Quantity	UM	Price	Per	Amount
C	-----FRAMING----- =====						
SS	FOAM SILL SEAL 1/4x5-1/2x50ft 216 per pallet		4	EA	7.2500	EA	29.00
2812T	2x8-12ft SYP #1 Treated Ground Contact UC4A		4	EA	18.4600	EA	73.84
2814T	2x8-14ft SYP #1 Treated Ground Contact UC4A		4	EA	20.4200	EA	81.68
SO19GB	SPECIAL ORDER TRUSS PACKAGE		1	EA	3924.6600	EA	3,924.66
2412	2x4-12ft SPF #2 294/UNIT		5	EA	5.7000	EA	28.50
2414	2x4-14ft SPF #2 294/UNIT		5	EA	8.1800	EA	40.90
2416	2x4-16ft SPF #2 294/UNIT		5	EA	8.9600	EA	44.80
2814	2x8-14ft SPF #2/SYP #1		4	EA	15.5900	EA	62.36
2820SYP	2x8-20ft #1 SYP 96/UNIT		4	EA	28.6000	EA	114.40
OSB12	1/2in (15/32)X4X8 OSB		34	EA	14.4600	EA	491.64
46912	PSCA 1/2 IN PLYWOOD SHEATHING CLIPS 250/BX		1	BX	27.5000	BX	27.50
OSB716	7/16inx4x8ft OSB		8	EA	13.6700	EA	109.36
TYVEK9	TYVEK HOUSE WRAP 9ftx100ft DREXEL CUSTOM LOGO		1	RL	176.8000	RL	176.80
TYVEKTAPE2	2" x 55 YARDS TYVEK TAPE		1	EA	17.5100	EA	17.51
C	-----ROOF FINISH----- =====						
ODEPW	AL DRIP EDGE "D" - POLAR WHITE		8	EA	12.9800	EA	103.84

This is an estimate; prices vary based on market conditons. This is NOT a legally binding contract between parties. Customer is responsible for quantity, specifications, code requirements, pricing errors, and lead times. PLEASE EXAMINE CAREFULLY.	Subtotal	
	Sales Tax	
	<b>Total</b>	

Buyer:

Signature

**ZUERN BUILDING PRODUCTS INC. -**

Address: 820 ENTERPRISE DRIVE



**Quote**

Phone: (262)-297-5420

Quote Number:

Date: 2/21/2023

**Customer Information**

Name:  
 Address:  
  
 Phone 1:  
 Phone 2:  
 Fax:  
 Contact:

Job Name:

**Specifications**

U.D. = 74" x 81"; R.O. = 74-11/16" x 81-1/2"  
 O.M. of Brick Mould = 77" x 82-1/2"




Image is viewed from Exterior!

Lead Time: 3 Working Days (Call to verify)

Item Description	Qty	Price	Extended
6' 0" x 6' 8" SHD-Flush (Flush) HD Steel Edge - Prefinished White Double Door w/Thermal Aluminum White Astragal - Left Hand Outswing	1	1,065.67	\$1,065.67
2-3/4" Backset - Double Bore (2-1/8" Dia. Bore w/Standard 5-1/2" Spacing)	1	15.88	\$15.88
Set of Satin Nickel (US15) Ball Bearing w/NRP Hinges	1	0.82	\$0.82
Primed Treated Frame - 6-9/16" Jamb w/Primed Brick Mould Exterior Trim (Applied)	1	71.25	\$71.25
Compression Weatherstrip	1	0.00	\$0.00
Bumper - Mill Finish Sill	1	14.24	\$14.24
<b>Item Total</b>			<b>\$1,167.86</b>

Order Sub Total: \$1,739.60

Tax: \$95.68

Order Total: \$1,835.28

Distributed by:




Version #: 3.58-O


Version Date: 8/2/2022











PROJECT:  
**LAKEFRONT PARK  
SERVICE BUILDING  
AND PAVILION**



LOCATION:  
**RANDOM LAKE,  
WISCONSIN**



RELEASE:  
**PRELIMINARY**

REVISIONS:

#	DATE	DESCRIPTION




SEAL:

**all in**

SHEET:  
**DETAILED SITE  
PLAN**


PROJECT MANAGER: ARG  
PROJECT NUMBER: 220750.01  
DATE: 3/9/2023

SHEET NUMBER:



PROJECT:  
**LAKEFRONT PARK  
SERVICE BUILDING  
AND PAVILION**



LOCATION:  
**RANDOM LAKE,  
WISCONSIN**



RELEASE:  
**PRELIMINARY**

REVISIONS:

#	DATE	DESCRIPTION



SEAL:

all in


SHEET:  
**SITE PLAN**

PROJECT MANAGER: ARG  
PROJECT NUMBER: 220750.01  
DATE: 10/19/2022

SHEET NUMBER:  
**1**

**GENERAL NOTES**

1. THE BASE FLOOD ELEVATION FOR RANDOM LAKE IS 870.9'. THE PARK SERVICE BUILDING AND PAVILION FLOOR ELEVATION MUST BE INSTALLED ABOVE THE BASE FLOOD ELEVATION.
2. ENSURE POSITIVE DRAINAGE AWAY FROM THE PARK SERVICE BUILDING AND PAVILION. FIELD VERIFY EXISTING GRADES AND IF NEEDED, CONSULT WITH VILLAGE AND ENGINEER TO FIELD ADJUST BUILDING FLOOR ELEVATION AND/OR SITE GRADES TO ENSURE POSITIVE DRAINAGE AWAY FROM THE BUILDING.
3. CONSULT WITH OWNER PRIOR TO THE START OF CONSTRUCTION TO COORDINATE THE REMOVAL/SALVAGING/REINSTALLATION/RELOCATION AND/OR DISPOSAL OF EXISTING SITE LANDSCAPING AND AMENITIES, INCLUDING BUT NOT LIMITED TO; TREES, BENCHES, TRASH RECEPTACLES, ETC.
4. DETERMINE A SAFE STORAGE LOCATION OF ITEMS DETERMINED BY OWNER TO BE SALVAGED FOR OWNER REUSE. EXERCISE CARE DURING REMOVAL AND TRANSPORT TO PREVENT DAMAGE.
5. VEGETATED TURF GRASS AREAS DISTURBED BY CONSTRUCTION SHALL BE RESTORED WITH A MINIMUM 4" TOPSOIL, SEED, FERTILIZER, AND MULCH (TYP.) USE SALVAGED TOPSOIL OR IMPORT TOPSOIL IF REQUIRED.
6. ALL OTHER AREAS DISTURBED BY CONSTRUCTION, INCLUDING BUT NOT LIMITED TO; ASPHALT PAVEMENT, CONCRETE PAVEMENT, CONCRETE SIDEWALK, CONCRETE CURB AND GUTTER, ETC. SHALL BE REPLACED IN KIND.
7. CONTRACTOR SHALL FIELD VERIFY EXISTING MATCH GRADES AND EXISTING TOP OF CURB GRADES SHOWN ON PLANS, PRIOR TO CONSTRUCTION. IF EXISTING GRADES DIFFER THAN PLAN ELEVATIONS, THE CONTRACTOR MUST CONTACT ENGINEER TO DETERMINE IF BUILDING PAD ELEVATION ADJUSTMENTS AND/OR OTHER SITE ADJUSTMENTS ARE NEEDED.
8. CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION CONTROL MEASURES, INCLUDING BUT NOT LIMITED TO; TRACKING PAD, PERIMETER SILT FENCE, INLET PROTECTION, SILT FENCE AROUND TOPSOIL STOCKPILE, EROSION MATTING, ETC. AS NEEDED TO PREVENT OFFSITE SOIL SEDIMENTATION AND SOIL TRACKING OUTSIDE OF PROJECT LIMITS.
9. AT ABSOLUTELY NO TIME MAY CONSTRUCTION EQUIPMENT, DEBRIS, FILL, ETC. BE PLACED WITHIN WETLANDS, WATERWAYS, OR FLOODPLAINS UNLESS IDENTIFIED IN THE PLANS.
10. THE UNDERGROUND AND OVERHEAD UTILITY INFORMATION AS SHOWN HEREON IS BASED, IN PART, UPON INFORMATION FURNISHED BY UTILITY COMPANIES, LOCAL MUNICIPALITY, PROPERTY OWNER, AND DIGGERS HOTLINE. WHILE THIS INFORMATION IS BELIEVED TO BE RELIABLE, ITS ACCURACY AND COMPLETENESS CANNOT BE GUARANTEED NOR CERTIFIED TO.
11. GENERAL CONTRACTOR OR THEIR SUB CONTRACTORS SHALL APPLY FOR AND OBTAIN ALL THEIR REQUIRED PERMITS AND APPROVALS PRIOR TO THE START OF THEIR WORK.
12. GENERAL CONTRACTOR OR THEIR SUB CONTRACTORS SHALL CONTACT DIGGER'S HOTLINE TO ALLOW THEM SUFFICIENT TIME TO LOCATE EXISTING UTILITIES PRIOR TO COMMENCEMENT OF WORK.
13. GENERAL CONTRACTOR OR THEIR SUB CONTRACTORS ARE RESPONSIBLE FOR VERIFYING OWNERSHIP OF AND COORDINATING THE DEMOLITION AND / OR RELOCATION / ELEVATION ADJUSTMENT OF ALL EXISTING PUBLIC OR PRIVATE UTILITIES WITHIN THE PROJECT LIMITS THAT MAY BE AFFECTED BY TOPOGRAPHICAL CHANGES, UTILITIES, OR OTHER PROPOSED CONSTRUCTION ON THE PROJECT, INCLUDING BUT NOT LIMITED TO ELECTRICAL / FIBER OPTIC / TELEPHONE / CABLE / GAS / WATER / SANITARY / STORM. DEMOLITION / RELOCATION OF THIS UTILITY WORK MUST BE IN ACCORDANCE WITH ALL STATE, FEDERAL, LOCAL, AND UTILITY OWNER REGULATIONS.







P.O. Box 344 • 96 Russell Drive • Random Lake, WI 53075  
 Phone: (920) 994-4852 • Fax: (920) 994-2390

## Building Permit Application

Job Location (identify exact address) <i>637 Western Ave. Random Lake, WI 53075</i>		Date <i>3-14-23</i>	Permit#
Owner's Name <i>Christopher McCormack</i>	Phone Number <i>262-343-0885</i>	Contact's Name (When Relevant) <i>Chris McCormack</i>	Phone Number
Owners Address (if different from above) <i>637 Western Ave</i>		City <i>Random Lake</i>	State <i>WI</i>
Contractor's Name	License Number	Contractor's Contact Name	Zip Code <i>53075</i>
License Number			Phone Number <i>2-343-0885</i>
Contractor's Address		City	State
Zip Code			

It is the responsibility of the permit holder to arrange for appointment times when entry is available for the required inspections if the inspector cannot access the work site or if the work is not visible, a re-inspection fee will be charged.

Use of Building	Type of Work	Item	Size	Qty.	Fee	Amount
<input type="checkbox"/> Residential <input type="checkbox"/> Multi-Family	<input type="checkbox"/> New	Residence (One & Two Family)			.30/sq. ft.	
	<input type="checkbox"/> Addition	Residential Additions			.30/sq. ft.	
	<input type="checkbox"/> Alteration/Repair	Attached/Detached Garage			.25/sq. ft.	
		Plan Review: House & Garage			.12/sq. ft.	
		State Permit Seal (\$33.00 (State fee) + \$10.00)			\$43.00	
		Occupancy Permit (House & Garage)			.05/sq. ft.	
		Remodeling (Includes Plan Review)			.20/sq. ft.	
		Erosion Control			\$150.00	
		Decks & Porches			.20/sq. ft.	
		Storage Sheds			\$30.00	
		Re-Roof			50.00	
		Re-Siding			50.00	
		Swimming Pools (above ground/in ground/spas)			80.00	
		Fence			30.00	
Required for exterior design, appearance and location		Architectural Review Board			45.00	<i>45.00</i>
Required for fences, accessory buildings, decks & porches, pools, etc.		Plan Commission Review			45.00	
Required for new construction, additions, fences, pools, accessory buildings, etc.		Zoning Permit			45.00	
		Expedited Meeting Fee (Nonrefundable)			100.00	
		Re-inspection Fee			75.00	

**NOTE:**  
 Separate permits are needed for Electrical, HVAC, & Plumbing  
 If any work is commenced before a building permit is obtained, all of the above fees shall be doubled.  
 All calculations for square footage area are outside dimensions.

I attest that the above information accurately describes the property and proposed work to be performed on it. I agree to comply with all Village of Random Lake and State of Wisconsin codes applicable to the occupancy and work stated above. I understand that any false misinformation may result in penalties prescribed in the Village of Random Lake ordinances.

**SUB TOTAL:** *45.00*

**BASE FEE (add to subtotal):** **\$40.00**


<b>OFFICE USE ONLY</b>		Date:	Initials:	<b>Permit Total:</b> <i>85.00</i>
Permit Paid By: <i>Christopher McCormack</i>		<i>3/15/23</i>	<i>CC# 27983262</i>	
Applicant Signature		Print Name		Date <i>3/15/23</i>














Plan Commission Meeting  
Monday, July 15th, 2019  
To follow Architectural Review Board  
at 6:15 p.m.

## Minutes

**1. Call to Order**

- a. 6:18 p.m.

**2. Roll Call**

- a. Members Present: John Schlectermann, Becky Sorens, Bob Mcdermott, Elizabeth Manian, Mike Sanfillipo  
b. Also Present: Beverley Schroeder, Don Schroeder, Katie Breuer, Kevin Kalkofen, Bill Goehring, Jim Graven, Ryan Nill, Dale Jacoby, Mary Pribek, John Russell

**3. Review, Discussion and possible action on a new house for Don and Bev Schroeder at 95 King Oak Court.**

- a. John Schlectermann stated: " Meets all required setbacks."  
b. Motion by John Schlectermann, second by Elizabeth Manian

**4. Discussion, review and possible action for a ramp for Ken and Dorcas George at 637 Western Ave.**

- a. Motion made by Elizabeth Manian to accept the ramp as long as the resident lives there or the sale of the property

**5. Discussion and possible action to recommend to the Village Board the proposed land division for Badger Tag Property - parcel #59028426562**

- a. Motion made by Mike Sanfillipo to approve the land division for Badger Tag, with the new survey map including the 33 feet on the south side of the lot, second by John Schlectermann

**6. Adjournment.**

- a. Mike Sanfillipo first, second by Becky Sorens at 6:29 p.m.

Notice is hereby given that a majority of the members of the Random Lake Village Board may attend this meeting to gather information about a subject over which they have decision-making responsibility.

96 Russell Dr. Box 344, Random Lake, WI 53075  
Telephone: (920) 994-4852 Facsimile: (920) 994-2390 Website: [www.randomlakewi.com](http://www.randomlakewi.com)

SITE INFO	
SUBDIVISION _____	
LOT NO. _____	BLOCK NO. _____
ZONING DISTRICT _____	
_____ 1/4, _____ 1/4, SEC _____, T _____, N, R _____ E or W	
PARCEL NO. _____	
SETBACKS:	
FRONT _____ ft	REAR _____ ft
LEFT _____ ft	RIGHT _____ ft

Work shall not proceed until the inspector has approved the various stages of construction or the 48 business hr. period since notification has elapsed. This permit will expire 24 months after the date of issuance if the building's exterior has not been completed. **Keep this card posted until final inspection has been made.** (WI Stats. 101.63) \_\_\_\_\_

# BUILDING PERMIT#

7-19-13

const  hvac  elec  plumb  erosion

Project: Ramp

INSPECTIONS			
PHASE	ROUGH	FINAL	EROSION
FOOTING			
FOUNDATION			
BSMT DRAIN TILES			
CONSTRUCTION			
PLUMBING			
HEAT/VENT/AC			
ELECTRICAL			
INSULATION			
OCCUPANCY			

Issued to	OWNER (AGENT) <u>Ken George</u>
	BUILDING SITE ADDRESS <u>637 Western</u>
	CITY, VILLAGE, TOWN <u>Random Lake</u>

CONTRACTORS	
G.C.	# _____
HVAC	# _____
ELECT.	# _____
PLBG.	# _____


Issued by	PERSON ISSUING <u>Walt Grotelueschen</u>	CERT. NO. <u>868384</u>
	DATE ISSUED <u>7/25/19</u>	TELEPHONE <u>262-675-0909</u>

Comments: MUST REMOVE UPON SALE OF HOUSE OR NO LONGER NEEDED RGR

**NOTICE OF NONCOMPLIANCE:** This issuing jurisdiction shall notify the applicant in writing of any violations to be corrected. All cited violations shall be corrected within 30 days of notification, unless extension time is granted.

Sidewalk

HOME



920-627-5601

Glenn Willendink for:

Ken George

Treated frame composite decking

Existing steps to be Sanding

Railing New Ramp

23' Long

Railing

New Steps

4' →

7/11/86

When the ramp at 637 Western  
Ave. is no longer needed - I  
will have it removed.

June A. Hammen





P.O. Box 344 • 96 Russell Drive • Random Lake, WI 53075  
 Phone: (920) 994-4852 • Fax: (920) 994-2390

# Building Permit Application

Job Location (identify exact address) <b>Lot 34 550 Lake Breeze Ln</b>			Date	Permit#		
Owner's Name <b>Field Tree Construction</b>		Phone Number <b>920-564-2217</b>	Contact's Name (When Relevant)			
Owners Address (if different from above) <b>110 S. Business Park Dr.</b>		City <b>Oostburg</b>	State <b>WI</b>	Zip Code <b>53070</b>		
Contractor's Name <b>Rich Line Builders</b>		License Number <b>5912</b>	Contractor's Contact Name <b>Tracy Ralwerdink</b>			
Contractor's Address <b>11023 Knepprath Rd.</b>		City <b>Cedar Grove</b>	State <b>WI</b>	Phone Number <b>920-994-9811</b> Zip Code <b>53013</b>		
It is the responsibility of the permit holder to arrange for appointment times when entry is available for the required inspections. If the inspector cannot access the work site or if the work is not visible, a re-inspection fee will be charged.						
Use of Building	Type of Work	Item	Size	Qty.	Fee	Amount
<input checked="" type="checkbox"/> Residential	<input checked="" type="checkbox"/> New	Residence (One & Two Family)	<b>1705</b>		.30/sq. ft.	
<input type="checkbox"/> Multi-Family	<input type="checkbox"/> Addition	Residential Additions			.30/sq. ft.	
	<input type="checkbox"/> Alteration/Repair	Attached/Detached Garage			.25/sq. ft.	
		Plan Review: House & Garage			.12/sq. ft.	
		State Permit Seal (\$33.00 (State fee) + \$10.00)				\$43.00
		Occupancy Permit (House & Garage)			.05/sq. ft.	
		Remodeling (Includes Plan Review)			.20/sq. ft.	
		2020 Sewer Hook-up Fee				\$1744.00
		Erosion Control				\$150.00
		Decks & Porches			.20/sq. ft.	
		Storage Sheds				\$30.00
		Re-Roof				50.00
		Re-Siding				50.00
		Swimming Pools (above ground/in ground/spas)				80.00
		Fence				30.00
Required for exterior design, appearance and location		Architectural Review Board				45.00
Required for fences, accessory buildings, decks & porches, pools, etc.		Plan Commission Review				45.00
Required for new construction, additions, fences, pools, accessory buildings, etc.		Zoning Permit				45.00
		Expedited Meeting Fee (Nonrefundable)				100.00
		Re-inspection Fee				75.00
<b>NOTE:</b>						
Separate permits are needed for Electrical, HVAC, & Plumbing						
If any work is commenced before a building permit is obtained, all of the above fees shall be doubled.						
All calculations for square footage area are outside dimensions.						
I attest that the above information accurately describes the property and proposed work to be performed on it. I agree to comply with all Village of Random Lake and State of Wisconsin codes applicable to the occupancy and work stated above. I understand that any false misinformation may result in penalties prescribed in the Village of Random Lake ordinances.					<b>SUB TOTAL:</b>	
<b>BASE FEE (add to subtotal):</b>					<b>\$40.00</b>	
<b>OFFICE USE ONLY</b>			Date:		Initials:	
Permit Paid By:					<b>Permit Total:</b>	
Applicant Signature <i>Angela DeBlacy</i>			Print Name <b>Angela DeBlacy</b>		Date <b>3/14/23</b>	



# REScheck Software Version 4.7.2 Compliance Certificate

**Project**      **Woodland View**

Energy Code:           **2009 IECC**  
 Location:               **Random Lake, Wisconsin**  
 Construction Type:   **Single-family**  
 Project Type:           **New Construction**  
 Orientation:           **Bldg. faces 0 deg. from North**  
 Conditioned Floor Area: **3,580 ft2**  
 Glazing Area           **16%**  
 Climate Zone:          **6 (7474 HDD)**  
 Permit Date:  
 Permit Number:

**Construction Site:**  
 Lot 34  
 Random Lake, WI 53075

**Owner/Agent:**

**Designer/Contractor:**  
 Neumann Plumbing & Heating  
 1114 Millersville Ave  
 Howards Grove, WI 53083

**Compliance: Passes using performance alternative**

Compliance: **3.4% Better Than Code**

NOTE: Slab-on-grade tradeoffs are no longer considered in the UA or performance compliance path in REScheck. Each slab-on-grade assembly in the specified climate zone must meet the minimum energy code insulation R-value and depth requirements.

## Envelope Assemblies

Assembly	Gross Area or Perimeter	Cavity R-Value	Cont. R-Value	Prop. U-Factor	Req. U-Factor	Prop. UA	Req. UA
Basement Wall 1: Solid Concrete or Masonry Orientation: Front Wall height: 8.0' Depth below grade: 8.0' Insulation depth: 8.0'	440	0.0	7.5	0.064	0.050	28	22
Basement Wall 2: Solid Concrete or Masonry Orientation: Left side Wall height: 8.0' Depth below grade: 8.0' Insulation depth: 8.0'	316	0.0	7.5	0.064	0.050	20	16
Basement Wall 3: Solid Concrete or Masonry Orientation: Back Wall height: 8.0' Depth below grade: 8.0' Insulation depth: 8.0'	440	0.0	7.5	0.064	0.050	26	20
Window 1: Vinyl/Fiberglass Frame:Double Pane with Low-E SHGC: 0.40 Orientation: Back	40			0.300	0.350	12	14
	316	0.0	7.5	0.064	0.050	20	16










# REScheck Software Version 4.7.2

## Inspection Checklist

Energy Code: 2009 IECC

Requirements: 0.0% were addressed directly in the REScheck software

Text in the "Comments/Assumptions" column is provided by the user in the REScheck Requirements screen. For each requirement, the user certifies that a code requirement will be met and how that is documented, or that an exception is being claimed. Where compliance is itemized in a separate table, a reference to that table is provided.

Section # & Req.ID	Pre-Inspection/Plan Review	Plans Verified Value	Field Verified Value	Complies?	Comments/Assumptions
103.2 [PR1] <sup>1</sup> 	Construction drawings and documentation demonstrate energy code compliance for the building envelope.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
103.2, 403.7 [PR3] <sup>1</sup> 	Construction drawings and documentation demonstrate energy code compliance for lighting and mechanical systems. Systems serving multiple dwelling units must demonstrate compliance with the commercial code.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.6 [PR2] <sup>2</sup> 	Heating and cooling equipment is sized per ACCA Manual S based on loads per ACCA Manual J or other approved methods.	Heating: Btu/hr _____ Cooling: Btu/hr _____	Heating: Btu/hr _____ Cooling: Btu/hr _____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	

**Additional Comments/Assumptions:**

1 High Impact (Tier 1)	2 Medium Impact (Tier 2)	3 Low Impact (Tier 3)
------------------------	--------------------------	-----------------------

Section # & Req.ID	Foundation Inspection	Plans Verified Value	Field Verified Value	Complies?	Comments/Assumptions
402.1.1 [FO4] <sup>1</sup>	Conditioned basement wall insulation R-value. Where interior insulation is used, verification may need to occur during Insulation Inspection. Not required in warm-humid locations in Climate Zone 3.	R-____	R-____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	See the Envelope Assemblies table for values.
303.2 [FO5] <sup>1</sup>	Conditioned basement wall insulation installed per manufacturer's instructions.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
402.2.7 [FO6] <sup>1</sup>	Conditioned basement wall insulation depth of burial or distance from top of wall.	____ ft	____ ft	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	See the Envelope Assemblies table for values.
303.2.1 [FO11] <sup>2</sup>	A protective covering is installed to protect exposed exterior insulation and extends a minimum of 6 in. below grade.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.8 [FO12] <sup>2</sup>	Snow- and ice-melting system controls installed.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	

**Additional Comments/Assumptions:**

1 High Impact (Tier 1)	2 Medium Impact (Tier 2)	3 Low Impact (Tier 3)
------------------------	--------------------------	-----------------------

Section # & Req.ID	Framing / Rough-In Inspection	Plans Verified Value	Field Verified Value	Complies?	Comments/Assumptions
402.1.1, 402.3.1, 402.3.3, 402.5 [FR2] <sup>1</sup> ☺	Glazing U-factor (area-weighted average).	U-____	U-____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	See the Envelope Assemblies table for values.
303.1.3 [FR4] <sup>1</sup> ☺	U-factors of fenestration products are determined in accordance with the NFRC test procedure or taken from the default table.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
402.4.4 [FR20] <sup>1</sup> ☺	Fenestration that is not site built is listed and labeled as meeting AAMA/WDMA/CSA 101/I.S.2/A440 or has infiltration rates per NFRC 400 that do not exceed code limits.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
402.4.5 [FR16] <sup>2</sup> ☺	IC-rated recessed lighting fixtures sealed at housing/interior finish and labeled to indicate $\leq 2.0$ cfm leakage at 75 Pa.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
405.2 [FR25] <sup>1</sup> ☺	All ducts in unconditioned spaces or outside the building envelope are insulated to $\geq R-6$ .	R-____	R-____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.2.2 [FR13] <sup>1</sup> ☺	All joints and seams of air ducts, air handlers, filter boxes, and building cavities used as return ducts are sealed.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.2.3 [FR15] <sup>3</sup> ☺	Building cavities are not used for supply ducts.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.3 [FR17] <sup>2</sup> ☺	HVAC piping conveying fluids above 105 °F or chilled fluids below 55 °F are insulated to $\geq R-3$ .	R-____	R-____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.4 [FR18] <sup>2</sup> ☺	Circulating service hot water pipes are insulated to R-2.	R-____	R-____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.5 [FR19] <sup>2</sup> ☺	Automatic or gravity dampers are installed on all outdoor air intakes and exhausts.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	











**Additional Comments/Assumptions:**

1 High Impact (Tier 1)	2 Medium Impact (Tier 2)	3 Low Impact (Tier 3)
------------------------	--------------------------	-----------------------

Section # & Req.ID	Insulation Inspection	Plans Verified Value	Field Verified Value	Complies?	Comments/Assumptions
303.1 [IN13] <sup>2</sup> ☺	All installed insulation is labeled or the installed R-values provided.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
402.1.1, 402.2.4, 402.2.5 [IN3] <sup>1</sup> ☺	Wall insulation R-value. If this is a mass wall with at least ½ of the wall insulation on the wall exterior, the exterior insulation requirement applies.	R-_____ <input type="checkbox"/> Wood <input type="checkbox"/> Mass <input type="checkbox"/> Steel	R-_____ <input type="checkbox"/> Wood <input type="checkbox"/> Mass <input type="checkbox"/> Steel	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	See the Envelope Assemblies table for values.
303.2 [IN4] <sup>1</sup> ☺	Wall insulation is installed per manufacturer's instructions.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	

**Additional Comments/Assumptions:**

1 High Impact (Tier 1)	2 Medium Impact (Tier 2)	3 Low Impact (Tier 3)
------------------------	--------------------------	-----------------------

Section # & Req.ID	Final Inspection Provisions	Plans Verified Value	Field Verified Value	Complies?	Comments/Assumptions
402.1.1, 402.2.1, 402.2.2 [F11] <sup>1</sup> 	Ceiling insulation R-value. Where > R-30 is required, R-30 can be used if insulation is not compressed at eaves. R-30 may be used for 500 ft <sup>2</sup> or 20% (whichever is less) where sufficient space is not available.	R-____ <input type="checkbox"/> Wood <input type="checkbox"/> Steel	R-____ <input type="checkbox"/> Wood <input type="checkbox"/> Steel	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	See the Envelope Assemblies table for values.
303.1.1.1, 303.2 [F12] <sup>1</sup> 	Ceiling insulation installed per manufacturer's instructions. Blown insulation marked every 300 ft <sup>2</sup> .			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
402.4.2, 402.4.2.1 [F117] <sup>1</sup> 	Building envelope tightness verified by blower door test result of <7 ACH at 50 Pa. This requirement may instead be met via visual inspection, in which case verification may need to occur during Insulation Inspection.	ACH 50 = ____	ACH 50 = ____	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.2.2 [F14] <sup>1</sup> 	Post construction duct tightness test result of ≤8 cfm to outdoors, or ≤12 cfm across systems. Or, rough-in test result of ≤6 cfm across systems or ≤4 cfm without air handler. Rough-in test verification may need to occur during Framing Inspection.	____ cfm	____ cfm	<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.6 [F15] <sup>1</sup> 	Heating and cooling equipment type and capacity as per plans.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.1.1 [F19] <sup>2</sup> 	Programmable thermostats installed on forced air furnaces.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.1.2 [F110] <sup>2</sup> 	Heat pump thermostat installed on heat pumps.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
403.4 [F111] <sup>2</sup> 	Circulating service hot water systems have automatic or accessible manual controls.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
401.3 [F17] <sup>2</sup> 	Compliance certificate posted.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	
303.3 [F118] <sup>3</sup> 	Manufacturer manuals for mechanical and water heating equipment have been provided.			<input type="checkbox"/> Complies <input type="checkbox"/> Does Not <input type="checkbox"/> Not Observable <input type="checkbox"/> Not Applicable	

**Additional Comments/Assumptions:**

1 High Impact (Tier 1)    2 Medium Impact (Tier 2)    3 Low Impact (Tier 3)



# 2009 IECC Energy Efficiency Certificate

Insulation Rating	R-Value
-------------------	---------

Above-Grade Wall	19.00
Below-Grade Wall	7.50
Floor	0.00
Ceiling / Roof	38.00
Ductwork (unconditioned spaces):	_____

Glass & Door Rating	U-Factor	SHGC
---------------------	----------	------

Window	0.30	0.40
Door	0.30	0.40

Heating & Cooling Equipment	Efficiency
-----------------------------	------------

Heating System: _____	_____
Cooling System: _____	_____
Water Heater: _____	_____


Name: _____ Date: _____	
-------------------------	--

Comments \_\_\_\_\_

# HEATING EQUIPMENT SIZING SUMMARY

## General Information

**Project Name/Address:** Woodland View, Neumann Plmbg  
**Job Site County:** Sheboygan  
**Your UA:** 316 UA  
**Conditioned Floor Area:** 3580 (ft<sup>2</sup>)  
**Average Wall Height:** 8.5 (ft)  
**Infiltration Rate:** 0.50 (ACH)  
**Equipment Oversizing Factor:** 15 (%)



## Load Summary

**Conductive Losses:** 26860 Btu/Hr  
**Infiltration Losses:** 23279 Btu/Hr  
**Equipment Oversizing Factor Losses:** 7521 Btu/Hr  
**TOTAL BUILDING HEATING LOAD:** 57660 Btu/Hr

## How To Use the Heating Equipment Sizing Summary

1. Enter your "Project Name / Address". Using the same labelling as your ResCheck makes it easier to keep track of.
2. Select your "Job Site County" from the pull-down Menu. This will determine the Design Temperature based on the Outdoor Design Temperatures Map, as included. SPS323.02(1).
3. Enter the "Your UA" and "Conditioned Floor Area" numbers from your ResCheck print out.
4. Enter the "Average Wall Height" in Feet. This is similar to previous versions of ResCheck and will calculate the volume of building air needed for Infiltration Losses.
5. Enter your "Infiltration Rate". This should be calculated at a maximum of 0.50 air changes per hour SPS322.30(2).
6. Enter an "Equipment Oversizing Factor" greater than 0 if you wish to generate a Btu/Hr load greater than calculated conductive and infiltration losses.
7. "Conductive Losses" = Your UA x Design Temperature Difference
8. "Infiltration Losses" = 0.018 BTU (heat capacity of air) x Conditioned Floor Area x Average Wall Height x Infiltration Rate x Design Temperature Difference
9. "Equipment Oversizing Factor Losses" = (Conductive Losses + Infiltration Losses) x Equipment Oversizing Factor
10. "Total Building Heating Load" = Conductive Losses + Infiltration Losses + Oversizing Factor Losses



REScheck Software Version 4.6.2

## Compliance Certificate

**Project:** Test House  
**Energy Code:** 2009 IECC  
**Location:** Wausau, Wisconsin  
**Construction Type:** Single-family  
**Project Type:** New Construction  
**Orientation:** Bldg. faces 0 deg. from North  
**Conditioned Floor Area:** 2,320 ft<sup>2</sup>  
**Glazing Area:** 1.0%  
**Climate Zone:** 6 (8427 HDD)  
**Permit Date:**  
**Permit Number:**  
**Construction Site:** \_\_\_\_\_ **Owner/Agent:** \_\_\_\_\_ **Designer/Contractor:** \_\_\_\_\_


Compliance: Passes using UA trade-off

Compliance: **4.0% Better Than Code**    Maximum UA: 248    Your UA: 238  
This % Better or Worse Than Code Index reflects how close to compliance the house is based on code trade-off rules. It DOES NOT provide an estimate of energy use or cost relative to a minimum-code home.





**FRONT ELEVATION**  
SCALE: 1/4" = 1'-0"



**RIGHT ELEVATION**  
SCALE: 1/4" = 1'-0"

**NOTICE:**  
THESE PLANS ARE DESIGNED EXCLUSIVELY FOR THE USE OF OUR CUSTOMERS. ANY REPRODUCTION OR OTHER USE IS STRICTLY PROHIBITED WITHOUT THE EXPRESSED WRITTEN CONSENT OF:  
**FIELD TREE CONSTRUCTION**

DATE: 2/3/23

2/13/23

**FIELDtree**  
CUSTOM CONSTRUCTION

PROJECT FOR:  
**WOODLAND VIEW - LOT 34**


DRAWN BY:  
BRECINA  
brecina@fieldtreeconstruction.com

15000 WOODLAND VIEW DRIVE  
CORONA, NY 10924

PAGE  
**1 OF 5**



REAR ELEVATION  
SCALE: 1/4" = 1'-0"



LEFT ELEVATION  
SCALE: 1/4" = 1'-0"

**NOTICE:**

THESE PLANS ARE DESIGNED EXCLUSIVELY FOR THE USE OF OUR CUSTOMERS. ANY REPRODUCTION OR OTHER USE WITHOUT THE EXPRESSED WRITTEN CONSENT OF FIELD TREE CONSTRUCTION

DATE: 2/9/23

2/13/23

**FIELDtree**  
CUSTOM CONSTRUCTION

PROJECT FOR:  
WOODLAND  
VIEW - LOT 34


DRAWN BY:  
Brianna  
brianna@fieldtree-cc.com

FIELD TREE CONSTRUCTION  
CUSTOMER, W. VA.

PAGE:  
2 OF 5

Note:  
Add 3" to Width and Height  
of all Windows, Add 1 1/2" to the  
Height and 3" to the Width of  
all Doors to allow for  
Masonry Rough Opening

NOTE:  
ALL DESIGN AND PLACEMENT OF  
ALL CONCRETE WORK  
BY OTHERS



**GENERAL PLAN NOTES**

- ALL DIMENSIONS ARE FROM FACE OF STUD TO FACE OF STUD.
- ALL WINDOW HEADER HEIGHTS TO BE SET AT 6'-10 7/8" UNLESS OTHERWISE NOTED.
- ALL BEARING HEADERS TO BE (2) 2X12'S UNLESS OTHERWISE NOTED.
- ALL EXTERIOR WINDOW AND DOOR SIZES ARE ROUGH OPENINGS.
- ALL WALL HEIGHTS TO BE 8'-1 1/2" UNLESS OTHERWISE NOTED.

**FOUNDATION PLAN NOTES**

- ALL FOOTINGS TO BE A MINIMUM OF 48" BELOW GRADE AND SIZED AS REQUIRED BY SOIL CONDITIONS AND LOCAL BUILDING CODES.
- ADD 3" TO WIDTH AND HEIGHT OF ALL WINDOWS, ADD 1 1/2" TO THE HEIGHT AND 3" TO THE WIDTH OF ALL DOORS TO ALLOW FOR MASONRY ROUGH OPENINGS.

**NOTICE:**

THESE PLANS ARE DESIGNED  
EXCLUSIVELY FOR THE USE OF  
FIELD TREE CUSTOMERS. ANY  
OTHER USE IS STRICTLY PROHIBITED.  
WITHOUT THE EXPRESSED  
WRITTEN CONSENT OF  
FIELD TREE CONSTRUCTION

DATE: 2/3/23

2/13/23

**FIELDtree**  
CUSTOM CONSTRUCTION

PROJECT FOR:  
**WOODLAND  
VIEW - LOT 34**

DRAWN BY:  
Breanna  
breanna@fieldtreeconstruction.com

DATE: 2/13/23  
DRAWN BY: BREANNA

PAGE:  
**3 OF 5**

**BASEMENT**

SCALE: 1/4" = 1'-0"



